











TYPE III INSTALLED, TYPE IV & V AVAILABLE SEPARATELY - FREE OF CHARGE!

TOOL-LESS DRIVER BOX ACCESS
HIGHER LUMENS PER WATT THAN PREVIOUS MODELS
LOCK THE LENS WITH A SCREWDRIVER

- Twist Lock Receptacle & Shorting Cap Included
- Polycarbonate Lens
- IP65 Rated
- 3000K, 4000K or 5000K
- Dimming: 0-10V
- Corrosion Resistant Die-Cast Aluminum Housing

CAT. No.	WATTS	VOLTS	HOUSING COLOR	LUMENS	LM/W	WEIGHT (LBS)	CASE QTY	
	TYPE III LEI	NS INSTALLED IV &	V AVAILABLE SEPAR	ATELY (FIXTURE ON	ILY - ORDER MO	JNTS SEPARATELY)		
74010D	80W 100W 150W	120-277V	BRONZE	20,495	137	12.35	1	
740I2D	80W 100W 150W	120-277V	WHITE	20,495	137	12.35	Ţ	
74026D	200W 240W 300W	120-277V	BRONZE	40,555	136	13.89	1	
74029D	200W 240W 300W	120-277V	WHITE	40,555	136	13.89	Î	
74014D	80W 100W 150W	277-480V	BRONZE	21,200	136	12.35	1	
74030D	200W 240W 300W	277-480V	BRONZE	40,823	136	13.89	1	
			ACCE	SSORIES				
74072C		MICROWAVE MOTION SENSOR						
74I88B		REMOTE CONTROL FOR MICROWAVE MOTION SENSOR						
39106			LED TWIST LOCK P	HOTOCELL 120-277V			100	
39107		LED TWIST LOCK PHOTOCELL 277-480V						
74786D				D/100/150W FIXTURES			50 50	
74788D		TYPE IV LENS FOR GEN 5 200/240/300W FIXTURES						
74787D		TYPE V LENS FOR GEN 5 80/100/150W FIXTURES						
74206D		TYPE V LENS FOR GEN 5 200/240/300W FIXTURES						
75093D		GLARE SHIELD FOR 80/100/150W BRONZE AREA LIGHTS						
75089D		GLARE SHIELD FOR 200/240/300W BRONZE AREA LIGHTS						
74036D		YOKE MOUNT FOR 80/100/150W BRONZE FIXTURES YOKE MOUNT FOR 80/100/150W WHITE FIXTURES						
74037D							10	
74737D 74738D			DKE MOUNT FOR 200/24 OKE MOUNT FOR 200/2				10 10	
74/38D 74032A							10	
74032A 74033A		POLE ARM MOUNT FOR 80W-300W BRONZE FIXTURES						
74033A 74034A		POLE ARM MOUNT FOR 80W-300W WHITE FIXTURES SLIPFITTER MOUNT FOR 80W-300W BRONZE FIXTURES						
74034A 74035A		SLIPFITTER MOUNT FOR 80W-300W AREA WHITE LIGHTS						
74038C		TRUNNION MOUNT FOR 80W-300W BRONZE AREA LIGHTS						
74039C		TRUNNION MOUNT FOR 80W-300W WHITE AREA LIGHTS TRUNNION MOUNT FOR 80W-300W WHITE AREA LIGHTS						
74043A		UNIVERSAL MOUNT FOR 80W-300W WHITE AREA LIGHTS						
74044A		- Contraction	VERSAL MOUNT FOR 80	THE RESIDENCE OF THE PARTY OF T	CONTROL OF THE PARTY OF THE PAR		10 10	













TYPE III INSTALLED, TYPE IV & V AVAILABLE SEPARATELY - FREE OF CHARGE!

TOOL-LESS DRIVER BOX ACCESS
HIGHER LUMENS PER WATT THAN PREVIOUS MODELS
LOCK THE LENS WITH A SCREWDRIVER

- Twist Lock Receptacle & Shorting Cap Included
- Polycarbonate Lens
- IP65 Rated
- 3000K, 4000K or 5000K
- Dimming: 0-10V
- Corrosion Resistant Die-Cast Aluminum Housing

CAT. No.	WATTS	VOLTS	HOUSING COLOR	LUMENS	LM/W	WEIGHT (LBS)	CASE QTY	
	TYPE III LEI	NS INSTALLED IV &	V AVAILABLE SEPAR	ATELY (FIXTURE ON	ILY - ORDER MO	JNTS SEPARATELY)		
74010D	80W 100W 150W	120-277V	BRONZE	20,495	137	12.35	1	
740I2D	80W 100W 150W	120-277V	WHITE	20,495	137	12.35	Ţ	
74026D	200W 240W 300W	120-277V	BRONZE	40,555	136	13.89	1	
74029D	200W 240W 300W	120-277V	WHITE	40,555	136	13.89	Î	
74014D	80W 100W 150W	277-480V	BRONZE	21,200	136	12.35	1	
74030D	200W 240W 300W	277-480V	BRONZE	40,823	136	13.89	1	
			ACCE	SSORIES				
74072C		MICROWAVE MOTION SENSOR						
74I88B		REMOTE CONTROL FOR MICROWAVE MOTION SENSOR						
39106			LED TWIST LOCK P	HOTOCELL 120-277V			100	
39107		LED TWIST LOCK PHOTOCELL 277-480V						
74786D				D/100/150W FIXTURES			50 50	
74788D		TYPE IV LENS FOR GEN 5 200/240/300W FIXTURES						
74787D		TYPE V LENS FOR GEN 5 80/100/150W FIXTURES						
74206D		TYPE V LENS FOR GEN 5 200/240/300W FIXTURES						
75093D		GLARE SHIELD FOR 80/100/150W BRONZE AREA LIGHTS						
75089D		GLARE SHIELD FOR 200/240/300W BRONZE AREA LIGHTS						
74036D		YOKE MOUNT FOR 80/100/150W BRONZE FIXTURES YOKE MOUNT FOR 80/100/150W WHITE FIXTURES						
74037D							10	
74737D 74738D			DKE MOUNT FOR 200/24 OKE MOUNT FOR 200/2				10 10	
74/38D 74032A							10	
74032A 74033A		POLE ARM MOUNT FOR 80W-300W BRONZE FIXTURES						
74033A 74034A		POLE ARM MOUNT FOR 80W-300W WHITE FIXTURES SLIPFITTER MOUNT FOR 80W-300W BRONZE FIXTURES						
74034A 74035A		SLIPFITTER MOUNT FOR 80W-300W AREA WHITE LIGHTS						
74038C		TRUNNION MOUNT FOR 80W-300W BRONZE AREA LIGHTS						
74039C		TRUNNION MOUNT FOR 80W-300W WHITE AREA LIGHTS TRUNNION MOUNT FOR 80W-300W WHITE AREA LIGHTS						
74043A		UNIVERSAL MOUNT FOR 80W-300W WHITE AREA LIGHTS						
74044A		- Contraction	VERSAL MOUNT FOR 80	THE RESIDENCE OF THE PARTY OF T	CONTROL OF THE PARTY OF THE PAR		10 10	













TYPE III INSTALLED, TYPE IV & V AVAILABLE SEPARATELY - FREE OF CHARGE!

TOOL-LESS DRIVER BOX ACCESS
HIGHER LUMENS PER WATT THAN PREVIOUS MODELS
LOCK THE LENS WITH A SCREWDRIVER

- Twist Lock Receptacle & Shorting Cap Included
- Polycarbonate Lens
- IP65 Rated
- 3000K, 4000K or 5000K
- Dimming: 0-10V
- Corrosion Resistant Die-Cast Aluminum Housing

CAT. No.	WATTS	VOLTS	HOUSING COLOR	LUMENS	LM/W	WEIGHT (LBS)	CASE QTY	
	TYPE III LEI	NS INSTALLED IV &	V AVAILABLE SEPAR	ATELY (FIXTURE ON	ILY - ORDER MO	JNTS SEPARATELY)		
74010D	80W 100W 150W	120-277V	BRONZE	20,495	137	12.35	1	
740I2D	80W 100W 150W	120-277V	WHITE	20,495	137	12.35	Ţ	
74026D	200W 240W 300W	120-277V	BRONZE	40,555	136	13.89	1	
74029D	200W 240W 300W	120-277V	WHITE	40,555	136	13.89	Î	
74014D	80W 100W 150W	277-480V	BRONZE	21,200	136	12.35	1	
74030D	200W 240W 300W	277-480V	BRONZE	40,823	136	13.89	1	
			ACCE	SSORIES				
74072C		MICROWAVE MOTION SENSOR						
74I88B		REMOTE CONTROL FOR MICROWAVE MOTION SENSOR						
39106			LED TWIST LOCK P	HOTOCELL 120-277V			100	
39107		LED TWIST LOCK PHOTOCELL 277-480V						
74786D				D/100/150W FIXTURES			50 50	
74788D		TYPE IV LENS FOR GEN 5 200/240/300W FIXTURES						
74787D		TYPE V LENS FOR GEN 5 80/100/150W FIXTURES						
74206D		TYPE V LENS FOR GEN 5 200/240/300W FIXTURES						
75093D		GLARE SHIELD FOR 80/100/150W BRONZE AREA LIGHTS						
75089D		GLARE SHIELD FOR 200/240/300W BRONZE AREA LIGHTS						
74036D		YOKE MOUNT FOR 80/100/150W BRONZE FIXTURES YOKE MOUNT FOR 80/100/150W WHITE FIXTURES						
74037D							10	
74737D 74738D			DKE MOUNT FOR 200/24 OKE MOUNT FOR 200/2				10 10	
74/38D 74032A							10	
74032A 74033A		POLE ARM MOUNT FOR 80W-300W BRONZE FIXTURES						
74033A 74034A		POLE ARM MOUNT FOR 80W-300W WHITE FIXTURES SLIPFITTER MOUNT FOR 80W-300W BRONZE FIXTURES						
74034A 74035A		SLIPFITTER MOUNT FOR 80W-300W AREA WHITE LIGHTS						
74038C		TRUNNION MOUNT FOR 80W-300W BRONZE AREA LIGHTS						
74039C		TRUNNION MOUNT FOR 80W-300W WHITE AREA LIGHTS TRUNNION MOUNT FOR 80W-300W WHITE AREA LIGHTS						
74043A		UNIVERSAL MOUNT FOR 80W-300W WHITE AREA LIGHTS						
74044A		- Contraction	VERSAL MOUNT FOR 80	THE RESIDENCE OF THE PARTY OF T	CONTROL OF THE PARTY OF THE PAR		10 10	













TYPE III INSTALLED, TYPE IV & V AVAILABLE SEPARATELY - FREE OF CHARGE!

TOOL-LESS DRIVER BOX ACCESS
HIGHER LUMENS PER WATT THAN PREVIOUS MODELS
LOCK THE LENS WITH A SCREWDRIVER

- Twist Lock Receptacle & Shorting Cap Included
- Polycarbonate Lens
- IP65 Rated
- 3000K, 4000K or 5000K
- Dimming: 0-10V
- Corrosion Resistant Die-Cast Aluminum Housing

CAT. No.	WATTS	VOLTS	HOUSING COLOR	LUMENS	LM/W	WEIGHT (LBS)	CASE QTY	
	TYPE III LEI	NS INSTALLED IV &	V AVAILABLE SEPAR	ATELY (FIXTURE ON	ILY - ORDER MO	JNTS SEPARATELY)		
74010D	80W 100W 150W	120-277V	BRONZE	20,495	137	12.35	1	
740I2D	80W 100W 150W	120-277V	WHITE	20,495	137	12.35	Ţ	
74026D	200W 240W 300W	120-277V	BRONZE	40,555	136	13.89	1	
74029D	200W 240W 300W	120-277V	WHITE	40,555	136	13.89	Î	
74014D	80W 100W 150W	277-480V	BRONZE	21,200	136	12.35	1	
74030D	200W 240W 300W	277-480V	BRONZE	40,823	136	13.89	1	
			ACCE	SSORIES				
74072C		MICROWAVE MOTION SENSOR						
74I88B		REMOTE CONTROL FOR MICROWAVE MOTION SENSOR						
39106			LED TWIST LOCK P	HOTOCELL 120-277V			100	
39107		LED TWIST LOCK PHOTOCELL 277-480V						
74786D				D/100/150W FIXTURES			50 50	
74788D		TYPE IV LENS FOR GEN 5 200/240/300W FIXTURES						
74787D		TYPE V LENS FOR GEN 5 80/100/150W FIXTURES						
74206D		TYPE V LENS FOR GEN 5 200/240/300W FIXTURES						
75093D		GLARE SHIELD FOR 80/100/150W BRONZE AREA LIGHTS						
75089D		GLARE SHIELD FOR 200/240/300W BRONZE AREA LIGHTS						
74036D		YOKE MOUNT FOR 80/100/150W BRONZE FIXTURES YOKE MOUNT FOR 80/100/150W WHITE FIXTURES						
74037D							10	
74737D 74738D			DKE MOUNT FOR 200/24 OKE MOUNT FOR 200/2				10 10	
74/38D 74032A							10	
74032A 74033A		POLE ARM MOUNT FOR 80W-300W BRONZE FIXTURES						
74033A 74034A		POLE ARM MOUNT FOR 80W-300W WHITE FIXTURES SLIPFITTER MOUNT FOR 80W-300W BRONZE FIXTURES						
74034A 74035A		SLIPFITTER MOUNT FOR 80W-300W AREA WHITE LIGHTS						
74038C		TRUNNION MOUNT FOR 80W-300W BRONZE AREA LIGHTS						
74039C		TRUNNION MOUNT FOR 80W-300W WHITE AREA LIGHTS TRUNNION MOUNT FOR 80W-300W WHITE AREA LIGHTS						
74043A		UNIVERSAL MOUNT FOR 80W-300W WHITE AREA LIGHTS						
74044A		- Contraction	VERSAL MOUNT FOR 80	THE RESIDENCE OF THE PARTY OF T	CONTROL OF THE PARTY OF THE PAR		10 10	