

# Classic filament LEDbulbs

## 5.5A19/VIN/927/E26/CL/G/SP DIM 1PF T20

Philips LED vintage-style lamps allow you to maintain a warm, classic light effect while providing longer life and energy savings.

### Product data

General Information	
Cap-Base	E26 [Single Contact Medium Screw]
Nominal lifetime	15,000 hour(s)
Switching Cycle	20,000
Lighting Technology	LED
EU RoHS compliant	Yes
Light Technical	
Color Code	927 [CCT of 2700K]
Beam Angle (Nom)	330 degree(s)
Luminous Flux	500 lm
Color Designation	Warm White (WW)
Correlated Color Temperature (Nom)	2700 K
Luminous Efficacy (rated) (Nom)	90 lm/W
Color Consistency	<4
Color rendering index (CRI)	90
LLMF At End Of Nominal Lifetime (Nom)	70 %
Operating and Electrical	
Input Frequency	60 Hz
Power Consumption	5.5 W
Lamp Current (Nom)	62 mA


Wattage Equivalent	40 W
Starting Time (Nom)	0.5 s
Warm-up time to 60% light	0.5 s
Power Factor (Fraction)	0.7
Voltage (Nom)	120 V
Temperature	
Ambient temperature range	-4 to +113 °F
Controls and Dimming	
Dimmable	Only with specific dimmers
Mechanical and Housing	
Bulb Finish	Clear
Bulb Material	Glass
Bulb Shape	A19 [A 19mm]
UL Wet/ damp/ dry location	Wet location
Approval and Application	
Energy Certifications	Energy Star
T20 compliant	Yes

Classic filament LEDbulbs

Application Conditions	
can it be used in closed luminaires	No
Product Data	
Order product name	5.5A19/VIN/927/E26/CL/G/SP DIM 1PF T20
Full product name	5.5A19/VIN/927/E26/CL/G/SP DIM 1PF T20
Order code	565788



Material Nr. (12NC)	929002988503
Numerator - Quantity Per Pack	1
EAN/UPC - Product/Case	046677565787
Numerator - Packs per outer box	4
EAN/UPC - Case	50046677565782

Dimensional drawing




Product	D	C
5.5A19/VIN/927/E26/CL/G/SP DIM 1PF T20	2-3/8 inch	4-3/16 inch

Photometric data



Spectral Power Distribution Colour - 5.5A19/VIN/927/E26/CL/G/SP DIM 1PF T20

General uniform lighting - 5.5A19/VIN/927/E26/CL/G/SP DIM 1PF T20



Classic filament LEDbulbs

Lifetime



Life Expectancy Diagram - 5.5A19/VIN/927/E26/CL/G/SP DIM 1PF T20



Lumen Maintenance Diagram - 5.5A19/VIN/927/E26/CL/G/SP DIM 1PF T20

