

Classic filament LEDbulbs

5.5ST19/VIN/927/E26/CL/G/SP D 1PF T20

Philips LED vintage-style lamps allow you to maintain a warm, classic light effect while providing longer life and energy savings.

Product data


General Information		Wattage Equivalent	
Cap-Base	E26 [Single Contact Medium Screw]	60 W	
Nominal lifetime	15,000 hour(s)	Starting Time (Nom)	
Switching Cycle	20,000	0.5 s	
Lighting Technology	LED	Warm-up time to 60% light	
EU RoHS compliant	Yes	0.5 s	
Light Technical		Power Factor (Fraction)	
Color Code	927 [CCT of 2700K]	0.7	
Beam Angle (Nom)	330 degree(s)	Voltage (Nom)	
Luminous Flux	500 lm	120 V	
Color Designation	Warm White (WW)	Temperature	
Correlated Color Temperature (Nom)	2700 K	Ambient temperature range	
Luminous Efficacy (rated) (Nom)	90 lm/W	-4 to +113 °F	
Color Consistency	<4	Controls and Dimming	
Color rendering index (CRI)	90	Dimmable	
LLMF At End Of Nominal Lifetime (Nom)	70 %	Only with specific dimmers	
Operating and Electrical		Mechanical and Housing	
Input Frequency	60 Hz	Bulb Finish	
Power Consumption	5.5 W	Clear	
Lamp Current (Nom)	62 mA	Bulb Material	
		Glass	
		Bulb Shape	
		ST19	
		UL Wet/ damp/ dry location	
		Wet location	
		Approval and Application	
		Energy Certifications	
		Energy Star	
		T20 compliant	
		Yes	

Classic filament LEDbulbs

Application Conditions	
can it be used in closed luminaires	No
Product Data	
Order product name	5.5ST19/VIN/927/E26/CL/G/SP D 1PF T20
Full product name	5.5ST19/VIN/927/E26/CL/G/SP D 1PF T20
Order code	565838


Material Nr. (12NC)	929002989003
Numerator - Quantity Per Pack	1
EAN/UPC - Product/Case	046677565831
Numerator - Packs per outer box	4
EAN/UPC - Case	50046677565836

Dimensional drawing




Product	D	C
5.5ST19/VIN/927/E26/CL/G/SP D 1PF T20	2-9/16 inch	5-7/16 inch


Photometric data



Spectral Power Distribution Colour - 5.5ST19/VIN/927/E26/CL/G/SP D 1PF T20




Light Distribution Diagram - 5.5ST19/VIN/927/E26/CL/G/SP D 1PF T20




Classic filament LEDbulbs

Lifetime



Life Expectancy Diagram - 5.5ST19/VIN/927/E26/CL/G/SP D 1PF T20



Lumen Maintenance Diagram - 5.5ST19/VIN/927/E26/CL/G/SP D 1PF T20

