



LED Corn Cobs

145CC/LED/3CCT/LS EX39 BB 3/1

Philips Corn Cob HID replacement lamps are perfect LED replacement for a variety of outdoor applications. High intensity illumination, which means you get added visibility for applications like streets, public areas, and much more for a fraction of the energy used by conventional HID.

Product data

General Information		
Cap-Base	EX39 [Exclusionary Mogul Screw]	
Nominal lifetime	50,000 hour(s)	
Switching Cycle	50,000	
Lighting Technology	LED	
EU RoHS compliant	Yes	
Light Technical		
Color Code	3000K/4000K/5000K	
Luminous Flux	20,500 22,000 22,000 lm	
Color Designation	3000K/4000K/5000K	
Correlated Color Temperature (Nom)	3000 4000 5000 K	
Luminous Efficacy (rated) (Nom)	151 lm/W	
Color Consistency	<3	
Color rendering index (CRI)	80	
LLMF At End Of Nominal Lifetime (Nom) 70 %		
Operating and Electrical		
Input Frequency	50 to 60 Hz	
Power Consumption	145 W	
Lamp Current (Nom)	1,300 mA	
Starting Time (Nom)	2 s	
Warm-up time to 60% light	1 s	

Power Factor (Fraction)	0.9	
Voltage (Nom)	120-277 V	
UL Type	HIB_UL Type B (UL classified+RU)	
Temperature		
Ambient temperature range	−20 to +55 °C	
T-Case Maximum (Nom)	40 ℃	
Controls and Dimming		
Dimmable	Variac Dimming	
Mechanical and Housing		
Bulb Finish	Clear	
Bulb Shape	Corncob	
Approval and Application		
Photobiological risk	Photobiological risk group 1 @ 200mm to	
	EN62471	
Application Conditions		
can it be used in closed luminaires	Yes	


Datasheet, 2023, December 5 data subject to change

LED Corn Cobs

Product Data	
Order product name	145CC/LED/3CCT/LS EX39 BB 3/1
Full product name	145CC/LED/3CCT/LS EX39 BB 3/1
Order code	929003631604
Material Nr. (12NC)	929003631604
Numerator - Quantity Per Pack	1


EAN/UPC - Product/Case	046677583705
Numerator - Packs per outer box	3
EAN/UPC - Case	50046677583700


Dimensional drawing




Product	D	С
145CC/LED/3CCT/LS EX39 BB 3/1	102 mm	211 mm

Photometric data





General uniform lighting - 145CC/LED/3CCT/LS EX39 BB 3/1





Light Distribution Diagram - 145CC/LED/3CCT/LS EX39 BB 3/1

Spectral Power Distribution Colour - 145CC/LED/3CCT/LS EX39 BB 3/1

LED Corn Cobs

Lifetime





Life Expectancy Diagram - 145CC/LED/3CCT/LS EX39 BB 3/1

Lumen Maintenance Diagram - 145CC/LED/3CCT/LS EX39 BB 3/1

