

## MR Series

### Sunlite 80857-SU LED MR16 Light Bulb GU5.3 25-Watt Equivalent, Green

Colored Series

#### **DESCRIPTION:**

*This LED MR16 is ideal for parties, showrooms and stage events, a great halogen MR16 replacement bulb. These bulbs feature a GU5.3 bi-pin which can easily fit into your track lighting fixture or adapter. This LED light bulb has an operational lifetime expectation of up to 30,000 hours before needing to be replaced. That's over 27 years of use! (based on a 3-hour day).*

#### **FEATURES:**

- *This green LED MR16 is ideal for parties, showrooms and stage events, a great halogen MR16 replacement bulb*
- *These bulbs feature a GU5.3 bi-pin which can easily fit into your track lighting fixture or adapter*
- *The LED MR16 bulb uses only 3 watts of energy, saving a significant amount on your energy bill. The LED bulb costs only \$0.36 per year to operate*
- *This LED light bulb has an operational lifetime expectation of up to 30,000 hours before needing to be replaced. That's over 27 years of use! (based on a 3-hour day)*
- *Contains no mercury and doesn't release any hazardous gasses so there's no need to worry if a bulb breaks and no need for recycling as you would with CFLs*



## SPECIFICATIONS:

### General Characteristics

|                                |               |
|--------------------------------|---------------|
| <b>Bulb Shape</b>              | MR16          |
| <b>Average Rated Hours</b>     | 30000         |
| <b>Base</b>                    | 2-Pin (GU5.3) |
| <b>Average Life Span Years</b> | 27            |
| <b>Dimmable</b>                | No            |

### Electrical Characteristics

|                              |             |
|------------------------------|-------------|
| <b>Watts</b>                 | 3           |
| <b>Volts</b>                 | 12          |
| <b>Equivalent Wattage</b>    | 25          |
| <b>LED Chip Manufacturer</b> | san an      |
| <b>Power Factor</b>          | 0.6         |
| <b>Temperature</b>           | -20° to 45° |

### Light Characteristics

|                          |       |
|--------------------------|-------|
| <b>Lumens Brightness</b> | 150   |
| <b>Emitted Color</b>     | Green |
| <b>Beam Angle</b>        | 30°   |

### Product Dimensions

|                               |                            |
|-------------------------------|----------------------------|
| <b>MOL (in)</b>               | 1.96                       |
| <b>Diameter (in)</b>          | 1.96                       |
| <b>Item Dimension (in)</b>    | (W) 1.97 (H) 1.89 (D) 1.97 |
| <b>Item Weight (lb)</b>       | 0.080                      |
| <b>Package Dimension (in)</b> | (W) 2.3 (H) 2.6 (D) 2.2    |
| <b>Package Weight (lb)</b>    | 0.100                      |

### Product Data

|                       |              |
|-----------------------|--------------|
| <b>Case Unit Rate</b> | 6            |
| <b>Pack Size</b>      | 1            |
| <b>Item UPC</b>       | 653703808574 |
| <b>Warranty Years</b> | 3            |
| <b>Package Type</b>   | Box          |

**VARIATIONS:**



| <i>Item Number</i> | <i>Description</i>      | <i>Watts</i> | <i>Eq Watts</i> | <i>Lumens</i> | <i>Color</i> | <i>Hours</i> | <i>Pack</i> |
|--------------------|-------------------------|--------------|-----------------|---------------|--------------|--------------|-------------|
| 80857-SU           | MR16/LED/3W/GU5.3/12V/G | 3            | 25              | 150           | GREEN        | 30000        | 1           |
| 80856-SU           | MR16/LED/3W/GU5.3/12V/B | 3            | 25              | 35            | BLUE         | 30000        | 1           |
| 80855-SU           | MR16/LED/3W/GU5.3/12V/R | 3            | 25              | 90            | RED          | 30000        | 1           |