

PS Series

Sunlite 81003-SU LED PS30 High Output Bulb, 24 Watts (200W Equivalent), E39 Mogul Base, 120-277 Volts, UL Listed, 50K - Super White 1 Pack

High Lumen Lamps

DESCRIPTION:

Replace your PS30 incandescent bulbs with energy efficient LED bulbs from Sunlite. Each bulb gives off as much light as a 200 watt bulb but only uses 24 watts of electricity. The annual energy cost is a low \$2.89 (Based on 3 hours/day at \$0.11 per/kWh). With an average life span of 50,000 hours you'll need to replace hard to access bulbs less often. At 5000K these super white bulbs provide ample task and security lighting. Each bulb contains 72 LEDs spread across the tulip-shaped housing designed to fit in the same space as a traditional PS30 bulb. These bulbs are UL Listed for Damp Location installation and are made of shatter-resistant plastic. LED technology means these bulbs give off less heat than the equivalent incandescent bulbs. Ideal for indoor and covered outdoor fixtures. Made for both residential and commercial use.

FEATURES:

- **UPGRADE TO LED** - These 24 Watt LED bulbs are an energy efficient replacement for 200 watt PS30 incandescent bulbs. They have a mogul base (E39) and are instant-on at full 3200 lumen brightness.
- **SAVE ENERGY** - Get the same light output of a 200 watt incandescent bulb while using only 24 watts of electricity. The annual energy cost is a low \$2.89 (Based on 3 hours/day at \$0.11 per/kWh).
- **EXTRA LONG LIFE SPAN** - With an average life span of 50,000 hours you'll need to replace hard to access bulbs less often. LED technology means these bulbs give off less heat than the equivalent incandescent bulbs. Ideal for indoor and covered outdoor fixtures.
- **SUPER WHITE** - At 5000K these super white bulbs provide ample task and security lighting. Each bulb contains 72 LEDs spread across the tulip-shaped housing designed to fit in the same space as a traditional PS30 bulb.
- **THE SAFER CHOICE** - These bulbs are UL Listed for Damp Location installation and are made of shatter-resistant plastic. Operates on 120-277 volt electrical service. Made for both residential and commercial use.



SPECIFICATIONS:

General Characteristics

Bulb Shape	PS30
Average Rated Hours	50000
Finish	Clear
Base	Mogul (E39)
Average Life Span Years	46
Dimmable	No
Material	Aluminum & Plastic

Electrical Characteristics

Watts	24
Volts	120-277
Equivalent Wattage	50
LED Chip Manufacturer	2835
Power Factor	0.9
Temperature	-20 to 50°

Light Characteristics

Lumens Brightness	3200
Color Rendering Index CRI	80
Emitted Color	Super White
Color Temperature Kelvin	5000K
Beam Angle	200°

Additional Features

Safety Rating Mark	UL Listed - Damp Location
Safety Rated For Canada	Yes
Safety Rated For USA	Yes
DLC	Yes
DLC Number	PLJXOJN3JS92
DLC Classification	Standard

Product Dimensions

MOL (in)	9.27
Diameter (in)	3.74
Package Dimension (in)	(W) 4 (H) 4.1 (D) 10.2
Package Weight (lb)	0.900

Product Data

Case Unit Rate	6
Pack Size	1
Item UPC	653703810034
Warranty Years	5
Package Type	Box



VARIATIONS:



81003-SU



81004-SU

Item Number	Description	Watts	Eq Watts	Lumens	CRI	Kelvin Color	Hours	Pack
81003-SU	PS30/LED/24W/MV/E39/50K	24	50	3200	80	5000K SW	50000	1
81004-SU	PS35/LED/32W/MV/E39/50K	32	70	4200	80	5000K SW	50000	1