

Slim

## DESCRIPTION:

Highlighting a dedication to quality and integrity, the Sunlite product line includes light bulbs of LED, linear fluorescent, compact fluorescent, incandescent, HID metal halide, halogen, decorative, and specialty lamps. In addition, the Sunlite line includes various indoor and outdoor commercial, Industrial, and residential fixtures. Electrical products include extension cords, socket adapters, wall plates, receptacles and switches, dimmers, timers, surge protectors, and much more.

## FEATURES:

- 
- 
- 
- 
- 



## SPECIFICATIONS:

### General Characteristics

Average Rated Hours	50000
Finish	White
Average Life Span Years	46
Dimmable	Yes
Material	Steel
Lens Material	Acrylic
Lens Finish	White

### Electrical Characteristics

Watts	19.5
Volts	120-277
LED Chip Manufacturer	SMD2835
Power Factor	0.9
Temperature	-4°F - 131°F

### Light Characteristics

Lumens Brightness	2305/2481/2526
Color Rendering Index CRI	80
Emitted Color	CCT Selectable
Color Temperature Kelvin	30K/40K/50K
Beam Angle	108°

### Fixture Characteristics

Mounting	Surface
Fixture Technology	LED
Use Location	Indoor

### Additional Features

Safety Rating Mark	ETL - Damp Location
Safety Rated For Canada	Yes
Safety Rated For USA	Yes
DLC	Yes
DLC Classification	Standard

### Product Dimensions

Size	48"
MOL (in)	48
Item Dimension (in)	(W) 4.6 (H) 48 (D) 3.8

### Product Data

Case Unit Rate	6
Item UPC	653703854991
Warranty Years	5

---

**ACCESSORIES:**

Catalog # 85530-SU  
REMOTE