

Sunlite 87792 4-Inch Retrofit Recessed Downlight, 10 Watts (60W=), 700 Lmns, Color Selectable 27K/30K/35K/40K/50K Color, 90 CRI, Dimmable, ETL Listed, White, for Entryways, Hallways & Residential Use

DESCRIPTION:

Sunlite 4-Inch Retrofit Recessed Downlight are designed to upgrade vour existing light fixtures. These dimmable downlights put out a bright 700 lumens depending on the wattage you choose and allows you to select the color temperature at the time of installation. Pick 2700K. 3000K. 3500K, 4000K or even 5000K depending on your preference using a switch located on the back of the fixture, can be dimmed (10-100%) when installed with an LED compatible dimmer. High color rendering at 90 CRI. Dimmer List: Leviton 6674, 6672, RDL06, 752-DSM10, IPL06 & Lutron SCL-153PH-WH, DVWCL-153PH, DVCL-153PR-WH, CTCL-153PDH-WH-C, S-600H-WH-CSA, D-600, TTCL-100. a long 35,000-hour life span, these will provide years of reliable and maintenancefree service. Comparable output to a 60-watt bulb while only using 10 watts of electricity. Estimated annual energy costs of \$1.20 (Based on 3 Hrs/Day at \$0.11/kWh). Installing these Energy Star Certified fixtures may qualify you for state or local energy rebates. Easy to install with a medium base adapter. Mounting hardware & installation instructions are included. Its smooth trim style is designed to maximize beam spread for your recessed lights. These are ETL Listed for safety and quality. Unlike fluorescent tubes they contain no harmful chemicals. Ideal for Entryways, Bedrooms, Kitchen, Hallways & more. Dimension 5.60" H x 5.60" W x 2.16" L.

FEATURES:

- COLOR SELECTABLE These dimmable downlights put out a bright 700 lumens depending on the wattage you choose and allows you to select the color temperature at the time of installation. Pick 2700K, 3000K, 3500K, 4000K or even 5000K depending on your preference using a switch located on the back of the fixture.
- DIMMABLE It can be dimmed (10-100%) when installed with an LED compatible dimmer. High color rendering at 90 CRI. Dimmer List: Leviton 6674, 6672, RDL06, 752-DSM10, IPL06 & Lutron SCL-153PH-WH, DVWCL-153PH, DVCL-153PR-WH, CTCL-153PDH-WH-C, S-600H-WH-CSA, D-600, TTCL-100.
- ENERGY EFFICIENT With a long 35,000-hour life span, these will provide years of reliable and maintenance-free service. Comparable output to a 60-watt bulb while only using 10 watts of electricity. Estimated annual energy costs of \$1.20 (Based on 3 Hrs/Day at \$0.11/kWh). Installing these Energy Star Certified fixtures may qualify you for state or local energy rebates.
- EASY INSTALLATION & SMOOTH TRIM Easy to install





SPECIFICATIONS:

General Characteristics

Average Rated Hours

Finish

Average Life Span Years

Dimmable

Material

Lens Finish

35000

White

32

Yes

Iron & PC

Frosted

Electrical Characteristics

 Watts
 10

 Volts
 120

Light Characteristics

Lumens Brightness700Color Rendering Index CRI90

Emitted ColorCCT SelectableColor Temperature Kelvin27K/30K/35K/40K/50K

Fixture Characteristics

ShapeRoundMountingRecessedFixture TechnologyLEDUse LocationIndoor

Additional Features

Energy Star Yes
Energy Star Number 2385553

Product Dimensions

 Size
 4"

 MOL (in)
 1.85

 Diameter (in)
 5.5

 Item Dimension (in)
 (W) 7.36 (H) 1.99 (D) 7.36

 Item Weight (lb)
 0.35

 Package Dimension (in)
 (W) 5.75 (H) 5.75 (D) 2.25

 Package Weight (lb)
 0.35

Product Data

 Case Unit Rate
 6

 Item UPC
 653703877921

 Warranty Years
 3



ACCESSORIES:

Catalog # 50124-SU TRIM/RDL/4R/BN

Catalog # 50126-SU TRIM/RDL/4R/BK