

ST Series

Sunlite LED T8 Plug and Play Shatter Proof 14W Light Bulb Medium Bi-Pin (G13) Base, Warm White

Plug and Play Shatter Proof

DESCRIPTION:

Sunlite LED lamps are extremely energy efficient and will greatly reduce your energy costs. These lamps can last up to 50,000 hours making them virtually maintenance free. They contain no mercury elements and do not release any hazardous gases so there is no need to worry in case a bulb breaks and no need for any special recycling as with CFLs. With their high efficiency, their low wattage does not mean you lose out on brightness. This 14 watt T8 plug and play shatter proof features a medium bi-pin G13 base, produces a stunning warm white light at 1800 lumens, and can fit right into your living room or into the most cutting edge, state of the art, lighting design project. Simply remove and replace current T8 bulb, there's no need to remove current ballast from fixture.

Compatible with most electronic instant-start T8 ballasts. See manufacturer website for installation instructions. **Warning:** Before installing, be sure to confirm this T8 Plug & Play lamp is compatible with your ballast. The Ballast Compatibility List can be found on www.sunlite.com under the specific Item Number. Make sure the lighting fixture is wired correctly per the ballast or lamp instructions. Never install or remove the T8 lamp with the lighting fixture energized, or arcing at the pins may occur. Sunshine Lighting assumes no liability for incidental or consequential damages resulting from the misuse of this product.

FEATURES:

- Sunlite 14-Watt T8 Tube T8 Plug And Play Shatter Proof LED Replaces A Standard 32 Watt Linear Fluorescent T8 Or Similar Bulb
- This Lamp Produces A Spectacular Warm White Light At A 1800 Lumens, Using Only 14 Watts Of Energy
- Compatible With Most Electronic Instant-Start T8 Ballasts
- Simply Remove And Replace Current T8 Bulbs, No Need To Remove Current Ballast
- Ideal For Commercial Use In Ceiling Fixtures, Recessed, Surface, Direct, And Indirect Lighting



SPECIFICATIONS:

General Characteristics

Bulb Shape	T8
Average Rated Hours	50000
Finish	White
Base	Medium 2-Pin (G13)
Average Life Span Years	46
Dimmable	No
Material	Glass & Plastic

Electrical Characteristics

Watts	14
Equivalent Wattage	F28T5, F32T8, F40T12
Power Factor	0.9
Temperature	-20° to 45°

Light Characteristics

Lumens Brightness	1800
Color Rendering Index CRI	82
Emitted Color	Warm White
Color Temperature Kelvin	3000K
Beam Angle	220°

Additional Features

Safety Rating Mark	UL Listed - Damp Location
UL Rated Enclosed Fixtures	Yes
Safety Rated For Canada	Yes
Safety Rated For USA	Yes
DLC	Yes

Product Dimensions

Size	4 Foot
MOL (in)	47.67
Diameter (in)	0.98
Item Dimension (in)	(W) 0.98 (H) 0.98 (D) 47.67
Item Weight (lb)	0.730
Package Dimension (in)	(W) 1.1 (H) 47.62 (D) 1.1
Package Weight (lb)	0.500

Product Data

Case Unit Rate	10
Pack Size	1
Item UPC	653703881812
Warranty Years	5
Package Type	Sleeve



VARIATIONS:



88181-SU

88183-SU

Item Number	Description	Watts	Eq Watts	Lumens	CRI	Kelvin Color	Hours	Pack
88181-SU	T8/LED/IS/4'/14W/30K/SP	14	F28T5, F32T8, F40T12	1800	82	3000K WW	50000	1
88183-SU	T8/LED/IS/4'/14W/40K/SP	14	F28T5, F32T8, F40T12	1800	82	4000K CW	50000	1