

ST Series**Sunlite T5/LED/2'/11W/IS/40K LED 11W 2
Foot Instant Start T5 Tube Light Fixtures,
4000K Cool White Light, Medium Bi-Pin
(G13) Base****Plug and Play****DESCRIPTION:**

Sunlite's 2 pin tubular LED lamps are the best replacement lamps to your traditional fluorescent tube lamps for a wide range of settings, including schools, hospitals and other professional settings. Containing no mercury content whatsoever, these lamps promote a much healthier environment when compared to any competing fluorescent lamp. Warning Before installing, be sure to confirm this T8 Plug & Play lamp is compatible with your ballast. The Ballast Compatibility List can found on www.sunlite.com under the specific Item Number. Make sure the lighting fixture is wired correctly per the ballast or lamp instructions. Never install or remove the T8 lamp with the lighting fixture energized, or arcing at the pins may occur. Sunshine Lighting assumes no liability for incidental or consequential damages resulting from the misuse of this product.

FEATURES:

- Produces An Efficient 4000K Cool White Beam Of Light For All Your Ceiling Fixtures And More
- On Average, These 120-277 Multi-Volt LED Lamps Last An Astonishing 50000 Hours And Are Fitted With A Medium Bi-Pin (G13) Base
- High Quality Construction Plug And Play Tube Lamp That Consumes Only 11 Watts Of Energy; Replaces Tubular Linear Fluorescent Lamps
- Two Foot Energy Efficient LED T5 Ceiling Light Fixture Lamps Perfect For Your Bathroom, Hallway, And/Or Office Space
- High-Quality, UL Classified, Modern Replacement LED Light Bulbs Sold At A Highly Competitive Price



SPECIFICATIONS:

General Characteristics

Bulb Shape	T5
Average Rated Hours	50000
Finish	White
Base	Miniature Bi-Pin (G5)
Average Life Span Years	46
Dimmable	No
Material	Glass

Electrical Characteristics

Watts	11
Equivalent Wattage	F24T5/HO
Power Factor	0.9
Temperature	-20° to 45°
Ballast Factor	High Output (HO) Required

Light Characteristics

Lumens Brightness	1400
Color Rendering Index CRI	82
Emitted Color	Cool White
Color Temperature Kelvin	4000K

Additional Features

Safety Rating Mark	UL Classified - Damp Location
UL Rated Enclosed Fixtures	Yes
Safety Rated For Canada	Yes
Safety Rated For USA	Yes

Product Dimensions

Size	2 Foot
MOL (in)	23.22
Diameter (in)	0.64
Item Dimension (in)	(W) 0.6 (H) 0.6 (D) 10.1
Item Weight (lb)	0.020
Package Dimension (in)	(W) 0.7 (H) 0.7 (D) 10.2
Package Weight (lb)	0.030

Product Data

Case Unit Rate	10
Pack Size	1
Item UPC	653703882215
Warranty Years	5
Package Type	Sleeve



VARIATIONS:



88221-SU

88222-SU

Item Number	Description	Watts	Eq Watts	Lumens	CRI	Kelvin Color	Hours	Pack
88221-SU	T5/LED/IS/2'/11W/40K	11	F24T5/HO	1400	82	4000K CW	50000	1
88222-SU	T5/LED/IS/2'/11W/50K	11	F24T5/HO	1400	82	5000K SW	50000	1