

TCP's LED Sports Light is the perfect option for indoor and outdoor applications that require bright, energy efficient lighting. The Sports Light is rated to -40C for cold weather applications, comes standard with 0-10V dimming, 5700K CCT, and provides up to 47,500 lumens. Optional up-light shield accessory available to decrease glare and light pollution.

### Reasons to choose the LED Sports Light from TCP

- Long 50,000 hour rated life reduces maintenance and replacement costs
- Die-cast aluminum housing with impact resistant acrylic lens
- Yoke mounting comes standard for easy installation or retrofits
- Delivers bright, uniform light
- -40C temperature rating

## **Ideal Applications**

- Track Fields
- Indoor Soccer Fields
- Gymnasiums

- Football Stadiums
- Baseball Fields
- Golf Courses









# LED Sports Light

#### **Applications**

This product can be used in a variety of applications, including indoor stadiums and outdoor sports fields. The standard yoke mounting provides a versatile array of mounting options.

#### Construction


- Die-cast aluminum housing
- Impact resistant acrylic lens
- Durable black powdercoat
- Industrial yoke mount

#### Electrical

- Easily access wiring for quick installation
- System rated for long 50,000 hour life
- Efficiently delivers up to 148 LPW
- 4KV (line to ground) built in surge protection
- -40C (-40F) to 50C (131F) Operating Temperature Range
- Power factor > 0.95

#### **Optics**

- Standard 30° degree distribution
- Delivers bright, white light and excellent uniformity






#### Listings


cULus Listed – wet location rated RoHS Compliant


#### Warranty

Five year limited warranty against defects in manufacturing.

#### **Dimensions**







# Catalog Ordering Matrix 1

Example: SPUZDA457K30D

SP	U	ZD	A4	57K	30D
FAMILY	VOLTAGE	CONTROLS	LUMEN PACKAGE (Power) <sup>1,2</sup>	ССТ	OPTIC
<b>SP</b> = LED Sports Light	<b>U</b> = 120V-277V	<b>ZD</b> = 0-10V Dimming	<b>A4</b> = 47,500 Lumens (320W)	<b>57K</b> = 5700K	<b>30D</b> = 30° Distribution

<sup>&</sup>lt;sup>1</sup>Approximate lumen output. Actual performance may vary based on CCT, options selected and end user application. <sup>2</sup> Actual wattage may differ by +/- 10%.

#### Field Installed Accessories

SPVISOR 1 - Up-light visor accessory

For the most up-to-date specs and warranty information, please visit www.tcpi.com

#### TCP®







# TECHNOLOGY CAST IN A BEAUTIFUL LIGHT

For over 20 years, TCP has been designing, developing and delivering energy-efficient lighting into the market. Thanks to our cutting-edge technology and manufacturing expertise, we have shipped billions of high quality lighting products. With TCP, you can count on a lighting product that is designed to meet the needs of the market - that transforms your surroundings and envelopes you in warmth - lighting that generates beauty with every flip of the switch.

Sales:	Catalog Number:
Date:	Туре:
Model:	Notes:
Project:	TCD.
Rep:	TCP we know light.™