



KTSL-WS1-B-SG/G2 BLUETOOTH WIRELESS KEYPAD

DESCRIPTION

Bluetooth Mesh Wireless Battery Powered Wall Switch for Smartloop System.

APPLICATION

Ideal for small- to medium-size systems, such as schools, offices, auditoriums, and warehouses











PRODUCT FEATURES

- Commissioned via SmartLoop mobile app for iPhone and Android
- Designed for installation in standard wallboxes
- Operates on 2x CR2032 Coin cell Batteries
- 5 buttons allow for dimming, toggling power, automatic sensor/ preset level operation, and scene activation
- Utilizes Bluetooth mesh technology for reliable and secure wireless communication
- Indicator LED communicates device status
- Easily commissioned to control groups or individual luminaires

ELECTRICAL SPECIFICATIONS

Input Power	2x CR2032 Coin cell Batteries
Battery Lifetime	5 years
RF Transmit Power	8dBm
Wireless Frequency	2.4GHz
Wireless Range (Open Air)	90m
Wireless Protocol	Bluetooth 4.2

ENVIRONMENTAL SPECIFICATIONS

Operating Temperature	$-10^{\circ}\text{C}/14^{\circ}\text{F}$ to $45^{\circ}\text{C}/113^{\circ}\text{F}$		
Storage Temperature	$0^{\circ}\text{C}/32^{\circ}\text{F}$ to $30^{\circ}\text{C}/86^{\circ}\text{F}$		
Humidity	5–90%		
Moisture and Dust Rating	IP20		

EMC COMPLIANCE


FCC Part 15.247





KTSL-WS1-B-SG /G2 BLUETOOTH WIRELESS KEYPAD

QUICK USER GUIDE








KTSL-WS1-B-SG /G2 BLUETOOTH WIRELESS KEYPAD

PHYSICAL SPECIFICATIONS



Mounting	Standard wallbox	
Height	4.11"	
Width	1.77"	
Depth	1.29"	
Weight	1.5 oz.	
Case Material	Plastic	

ORDERING INFORMATION

ORDER CODE	PACK QTY.	EASY CODE	UPC
KTSL-WS1-B-SG/G2	100	FYH-31	843654141695

CATALOG NUMBER BREAKDOWN

KTSL-WS1-B-SG /G2

- 1 Keystone Technologies SmartLoop
- 2 Wall Switch
- 3 Design Style 1
- 4 Battery
- 5 Single Gang Size
- 6 Generation 2