




MORRIS CAT#: 71634C

LED Medium Classic WallPack 90W, 120-277V, 4000K Bronze




Features:

- Use in general lighting applications: Parking Lots & Building Security
- Die cast Aluminum Housing, polyester powder coating
- Aluminum Heat Sink, customized fin design for optimal heat dissipation
- Heat Resistant Directed Optics
- Polycarbonate Lens
- 4KV surge protector inside of power supply
- 5 Year Limited Warranty
- IP65 rated
- Certification: ETL/cETL, DLC
- Environment: Suitable for Wet Locations

Part#	Input/Wattage	Volts	Lumens	CCT	CRI	Dimming	Light Pattern	Lumens/Watt	DLC PRODUCT ID#:
71634C	90W	120-277V	11,439	4000K	73	0-10V	Garage	131	PLMAK2IKU21A

PHOTOMETRY





MORRIS CAT#: 71634C

LED Medium Classic WallPack 90W, 120-277V, 4000K Bronze

Technical Specifications:

Electrical:

Input Voltage: 120V-277V

Current: .65A@120V

Frequency: 50/60Hz

Power Factor: $\geq .9$

THD: 9%

Product Parameters:

Input Watts: 90W

Lumens: 11,439

Efficacy: 127 lumens per watt

50,000+ Hour L70 Life Span

CCT: 4000K (Cool White)

Chromaticity Measurements:

Beam Angle: 365° H X 256° V

BUG Rating: B2-U5-G5

CRI: 73

R9: -23

Component Specifications:

LED: Lumileds 3030

120-277V, 50-60Hz

Driver Output Volts: 90-120V

Driver Output Amps: 1800mA

6KV Surge Protection

Dimming: 0-10V

Operating Temperature:

Minimum Starting: -40°F to 131°F

Construction:

Housing: Aluminum Alloy

Powder Coated

IP Rating: IP65 suitable for wet locations

Lens Material: Heat Resistant Polycarbonate

Lens UV Resistant, Fire Resistant

Mounting: Hinged Spider Plate

Listings: ETL, DLC

Accessories:

Emergency Backup - CAT#: 71471B

LED Button Style Photocell - CAT#: 39100

LED Shutter Style Photocell - CAT#: 39102

LED Pencil Style Photocell - CAT#: 39104

Semi-Cutoff Visor - Bronze - CAT#: 71461B

Semi-Cutoff Visor - White - CAT#: 71430B

Wire Guard - CAT#: 71459B

Warranty:

Morris Products carries a 5 year warranty from date of purchase against defects in materials and workmanship (assuming normal and proper usage).