

FDL 7X7 FLOODLIGHT (Selectable CCT3)

DESCRIPTION

naturaLED® 7X7 selectable wattage floodlights provide a range of sizes and wattages to fit your needs. Our floodlights has a flood beam distributions and replaces up to 250 watt. This product is water resistant rated at IP65. Creating bright, security and spot lighting for a variety of applications such as perimeter, entryway, facades, landscapes, retail and residential complexes and architectural lighting. Pre-installed yoke-arm design can be adjustable to the angle that best suit your needs.

APPLICATIONS

Security, Architectural, Perimeter, Entryway, Pathway, Landscape

FEATURES

- DLC Standard
- IP65 Rated
- UL Listed
- ColorTemp: Selectable (3000/4000/5000K)
- Selectable Wattage for 60W (40/50/60W)
- Built-in photocell sensor (turn on and off)
- Input line voltage: 120-277V
- Powerfactor >0.9
- Dimmable: 0-10V
- CRI: 70
- Surge Protection: 4KV
- Beam Angle: NEMA 7X7
- Material: Aluminum Die-Cast and PC Lens
- 4-feet SO Cord for easy installation
- Operating temperature: -40°F - 113°F
- 5 Year Warranty
- Finish: Bronze
- Recommended Mounting Height: 10-25 feet
- Optional Accessory for Purchase: Knuckle Mount

PROJECT:

SCHEDULE:

DATE:

PREPARE BY:

NOTES:



ACCESSORIES



Knuckle Mount



Rated Life 50,000 Hours
Warranty 5 Years

SAMPLE NUMBER

FXFDL30/77/CCT3/BZ-YK

FAMILY	SERIES	WATTAGE	BEAM ANGLE	COLOR TEMP	COLOR	COLOR
FX Fixture	FDL Floodlight	30 30 Watt	77 7X7 NEMA	CCT3 Selectable Color Temp 3000/4000/5000K	BZ Bronze	YK Yoke Mount



7X7 FLOODLIGHT

FLOODLIGHTS & AREA LUMINAIRES

ORDERING

*P= Premium DLC / *S = Standard DLC

Watts (W)	Ordering Code	Description	CCT (K)	Lumens (Lm)	Equiv. Wattage (W)	Mount	IP65 Rated	DLC (S/P)
15	9652	FXFDL15/77/CCT3/BZ-YK	3CCT (3/4/5K)	1,900	100	Yoke	•	S
30	9653	FXFDL30/77/CCT3/BZ-YK	3CCT (3/4/5K)	4,100	150-200	Yoke	•	S
40	9654	FXFDL60SW/77/CCT3/BZ-YK	3CCT	5,400	250-400	Yoke	•	S
50			(3/4/5K)	6,750				
60				8,100				

ACCESSORIES (Ordered Separately)


Knuckle Mount




P10012 MT-FDL/KNC/BZ
(Knuckle Mount - Bronze)

PHOTOMETRICS CHART


15 Watt-Yoke DLC Premium



30 Watt-Yoke DLC Premium




40/50/60 Watt-Yoke DLC Premium



DIMENSIONS


15W-Yoke Mount

1.24-lbs




30W-Yoke Mount

1.46-lbs




40/50/60W-Yoke Mount

2.43-lbs




15W-Knuckle Mount

(with P10012)




30W-Knuckle Mount

(with P10012)



40/50/60W-Knuckle Mount


(with P10012)



PACKAGE

Case Qty for 15W

20 pc



Case Qty for 30W & 60SW

10 pc

