



TrueForce High Lumen PAR

23PAR30s/PER/930/S15/ND/120V 6/1FB

Philips LED TrueForce PAR high lumen lamps are the perfect transition from CDM lamps to LED.

Product data

General Information

Base	E26 [Single Contact Medium Screw]
EU RoHS compliant	Yes
Nominal Lifetime (Nom)	25000 h
Switching Cycle	50000X
Technical Type	23-75W

Light Technical

Color Code	930 [CCT of 3000K]
Beam Angle (Nom)	15 °
Initial lumen (Nom)	1900 lm
Luminous Intensity (Nom)	12000 cd
Color Designation	White (WH)
Correlated Color Temperature (Nom)	3000 K
Luminous Efficacy (rated) (Nom)	82.00 lm/W
Color Consistency	<4
Color Rendering Index (Nom)	90
LLMF At End Of Nominal Lifetime (Nom)	70 %

Operating and Electrical

Input Frequency	50 to 60 Hz
Power (Rated) (Nom)	23 W

Lamp Current (Nom)	206 mA
Wattage Equivalent	75 W
Starting Time (Nom)	0.5 s
Warm Up Time to 60% Light (Nom)	0.5 s
Power Factor (Nom)	0.9
Voltage (Nom)	120 V

Temperature

T-Case Maximum (Nom)	94 °C
----------------------	-------

Controls and Dimming

Dimmable	No
----------	----

Approval and Application

Energy Efficiency Label (EEL)	Not applicable
Suitable For Accent Lighting	Yes
Energy Consumption kWh/1000 h	- kWh

Product Data


Order product name	23PAR30s/PER/930/S15/ND/120V 6/1FB
EAN/UPC - Product	046677534684
Order code	534685

TrueForce High Lumen PAR

Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	6
Material Nr. (12NC)	929001917404

Net Weight (Piece)	0.220 kg
--------------------	----------



Dimensional drawing



PAR30s 24.5-W 2000lm 15D 3000K E26 ND


Product
23PAR30s/PER/930/S15/ND/120V 6/1FB

Photometric data



LEDspot PAR30 1FB


LEDspot 23 PAR30L 930 S15




LEDspot 23 PAR30L 930 S15

TrueForce High Lumen PAR

Lifetime



LEDspot PAR30 1FB



LEDspot PAR30 1FB

