



LED BR40

8.8BR40/PER/940/P/E26/DIM 6/1FB T20


Philips BR40 LED lamps are the smart alternative to standard incandescent. The traditional lamp design can provide excellent dimming performance with spectacular energy savings. They provide the beautiful light and dependable performance you expect from LED at an economical price.

Product data

General Information		Starting Time (Nom)		0.5 s
Base	E26 [Single Contact Medium Screw]	Warm Up Time to 60% Light (Nom)		0.5 s
EU RoHS compliant	Yes	Power Factor (Nom)		0.7
Nominal Lifetime (Nom)	15000 h	Voltage (Nom)		120 V
Switching Cycle	50000X			
Technical Type	8.8-65W			
Light Technical		Temperature		
Color Code	940 [CCT of 4000K]	T-Case Maximum (Nom)		70 °C
Beam Angle (Nom)	110 °	Controls and Dimming		
Initial lumen (Nom)	800 lm	Dimmable		Yes
Color Designation	Cool White (CW)			
Correlated Color Temperature (Nom)	4000 K	Mechanical and Housing		
Luminous Efficacy (rated) (Nom)	90.00 lm/W	Bulb Finish		Frosted
Color Consistency	<4			
Color Rendering Index (Nom)	90	Product Data		
LLMF At End Of Nominal Lifetime (Nom)	70 %	Order product name		8.8BR40/PER/940/P/E26/DIM 6/1FB T20
Operating and Electrical		EAN/UPC - Product		046677547431
Input Frequency	60 Hz	Order code		547430
Power (Rated) (Nom)	8.8 W	Numerator - Quantity Per Pack		1
Lamp Current (Nom)	85 mA	Numerator - Packs per outer box		6
Wattage Equivalent	65 W	Material Nr. (12NC)		929002035604
		Net Weight (Piece)		0.165 kg

LED BR40


Dimensional drawing




BR40 120V 8.8-65W 800lm 4000K E26 D

Product	D	C
8.8BR40/PER/940/P/E26/DIM 6/1FB T20	125 mm	160 mm


Photometric data



LEDbulb 65W E26 BR40 940 Frosted




LEDbulb 45,65W E26 930 Frosted




LEDbulb 65W E26 BR40 940 Frosted

LED BR40

Lifetime



15K LED



15K LMP

