



# **A-Shape LED**

## 8.8A19/PER/927/FR/P/E26/D2D/T20 4/1PF

Philips A-shape LED lamps are the LED alternative to standard incandescents. It provides beautiful light and dependable performance you expect from LED at an affordable price.

#### **Product data**

General information	
Base	E26 [ Single Contact Medium Screw]
EU RoHS compliant	Yes
Nominal Lifetime (Nom)	15000 h
Switching Cycle	50000
Tier	MasterClass
Light technical	
Color Code	927 [ CCT of 2700K]
Beam Angle (Nom)	220 °
Initial lumen (Nom)	800 lm
Color Designation	Warm White (WW)
Correlated Color Temperature (Nom)	2700 K
Luminous Efficacy (rated) (Nom)	90.00 lm/W
Color Consistency	<4
Color Rendering Index (Nom)	90
LLMF At End Of Nominal Lifetime (Nom)	70 %
Operating and electrical	
Input Frequency	60 Hz
Power (Rated) (Nom)	8.8 W
Lamp Current (Nom)	74 mA
Wattage Equivalent	60 W
Starting Time (Nom)	0.5 s

Warm Up Time to 60% Light (Nom)	0.5 s
Power Factor (Nom)	0.7
Voltage (Nom)	120 V
Temperature	
T-Case Maximum (Nom)	203 °F
Controls and dimming	
Dimmable	No
Mechanical and housing	
Bulb Finish	Frosted
Bulb Shape	A19 (A19)
Approval and application	
Energy Certifications	Energy Star
Product data	
Order product name	8.8A19/PER/927/FR/P/E26/D2D/T20 4/1PF
EAN/UPC - Product	046677573232
Order code	573238
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	4
Material Nr. (12NC)	929002333693


Datasheet, 2022, August 23 data subject to change

## **A-Shape LED**

Net Weight (Piece)

0.132 lb


#### Dimensional drawing



8.8A19/PER/927/FR/P/E26/D2D/T20 4/1PF

## Product D C 8.8A19/PER/927/FR/P/E26/D2D/T20 4/1PF 2-7/16 in 4-3/8 in

#### Photometric data



Calactat Processes 45 Proje Lighting &V. Page 51


LEDbulb 8,8W A19 E26 927 FR


LEDbulb 8,8W A19 E26 927 FR

LEDbulb A19 E26 800lm FR

## **A-Shape LED**

#### Lifetime





Life Expectancy Diagram

Lumen Maintenance Diagram

