

LED Corn Cobs

45CC/LED/830/ND EX39 G2 BB 6/1

Philips Corn Cob HID replacement lamps are perfect LED replacement for a variety of outdoor applications. High intensity illumination, which means you get added visibility for applications like streets, public areas, and much more for a fraction of the energy used by conventional HID.

Product data

General Information	
Base	EX39 [Exclusionary Mogul Screw]
EU RoHS compliant	Yes
Nominal Lifetime (Nom)	50000 h
Switching Cycle	50000X
Technical Type	45-175W
Light Technical	
Color Code	830 [CCT of 3000K]
Initial lumen (Nom)	6200 lm
Color Designation	White (WH)
Correlated Color Temperature (Nom)	3000 K
Luminous Efficacy (rated) (Nom)	137.00 lm/W
Color Consistency	ANSI 3000K quadrangle
Color Rendering Index (Nom)	80
LLMF At End Of Nominal Lifetime (Nom)	70 %
Operating and Electrical	
Input Frequency	50 to 60 Hz
Power (Rated) (Nom)	45 W
Lamp Current (Nom)	500 mA
Wattage Equivalent	175 W
Starting Time (Nom)	1 s


1 s
0.9
100-277 V
60 ℃
No
Clear
A++
45 kWh
45CC/LED/830/ND EX39 G2 BB 6/1
046677559755
559757
1
6

Datasheet, 2020, November 18 data subject to change

LED Corn Cobs

Material Nr. (12NC)	929002396404
Net Weight (Piece)	0.758 kg


Dimensional drawing




Corn lamp LED Gen2 45W EX39 830 CL

Product D C 45CC/LED/830/ND EX39 G2 BB 6/1 85 mm 245 mm


Photometric data



LEDTForce 45W Corncob EX39




LEDTForce 45W Corncob EX39 830




LEDTForce 36W Corncob 830

LED Corn Cobs

Lifetime





50K 50K



© 2020 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.