



LED Wallpack Retrofits

40WP/LED/840/ND EX39 G2 BB 6/1

Philips LED HID replacement lamps are perfect LED replacement for a variety of outdoor applications. High intensity illumination, which means you get added visibility for applications like streets, public areas, and much more for a fraction of the energy used by conventional HID.

Product data

General Information	
Base	EX39 [Exclusionary Mogul Screw]
EU RoHS compliant	Yes
Nominal Lifetime (Nom)	50000 h
Switching Cycle	50000X
Technical Type	40-100-175W
Light Technical	
Color Code	841 [CCT of 4100K (841)]
Initial lumen (Nom)	5800 lm
Color Designation	Cool White (CW)
Correlated Color Temperature (Nom)	4000 K
Luminous Efficacy (rated) (Nom)	145.00 lm/W
Color Consistency	ANSI 4000K quadrangle
Color Rendering Index (Nom)	80
LLMF At End Of Nominal Lifetime (Nom)	70 %
Operating and Electrical	
Input Frequency	50 to 60 Hz
Power (Rated) (Nom)	40 W


Lamp Current (Nom)	444 mA
Starting Time (Nom)	1 s
Warm Up Time to 60% Light (Nom)	1 s
Power Factor (Nom)	0.9
Voltage (Nom)	100-277 V
Temperature	
T-Case Maximum (Nom)	65 °C
Controls and Dimming	
Dimmable	No
Mechanical and Housing	
Bulb Finish	Clear
Approval and Application	
Energy Efficiency Label (EEL)	A++
Energy Consumption kWh/1000 h	40 kWh

LED Wallpack Retrofits

Product Data	
Order product name	40WP/LED/840/ND EX39 G2 BB 6/1
EAN/UPC - Product	046677559939
Order code	559930
Numerator - Quantity Per Pack	1

Numerator - Packs per outer box	6
Material Nr. (12NC)	929002398204
Net Weight (Piece)	0.806 kg


Dimensional drawing




Wallpack LED 40W EX39 840 CL

Product	D	C
40WP/LED/840/ND EX39 G2 BB 6/1	92 mm	215 mm

Photometric data




General Uniform Lighting



LEDTForce WallPack


LEDTForce 40W WallPack EX39 840




LEDTForce 40W WallPack EX39 840

LED Wallpack Retrofits

Lifetime



50K



50K

