



LED Highbay

145HB/LED/850/D NB DL BB G2 4/1

Philips LED high bay lamps are a direct replacement for 250W to 400W metal halide lamps which will deliver substantial energy savings. Philips LED HighBays delivers bright, clean light for a fraction of the energy used by conventional HID.

Product data

General information	
Base	EX39 [Exclusionary Mogul Screw]
EU RoHS compliant	Yes
Nominal Lifetime (Nom)	50000 h
Switching Cycle	50000
Tier	MASTER
Light technical	
Color Code	850 [CCT of 5000K]
Beam Angle (Nom)	60 °
Initial lumen (Nom)	20000 lm
Color Designation	Daylight
Correlated Color Temperature (Nom)	5000 K
Luminous Efficacy (rated) (Nom)	137.00 lm/W
Color Consistency	<6
Color Rendering Index (Nom)	80
LLMF At End Of Nominal Lifetime (Nom)	70 %
Operating and electrical	
Input Frequency	50 to 60 Hz
Power (Rated) (Nom)	145 W
Lamp Current (Nom)	1450 mA
Wattage Equivalent	250 W
Starting Time (Nom)	0.5 s

Warm Up Time to 60% Light (Nom)	0.5 s
UL Type	HIB_UL Type B (UL Listed+Classified)
Power Factor (Nom)	0.9
Voltage (Nom)	120-277 V
Temperature	
T-Ambient (Max)	113 °F
T-Ambient (Min)	-4 °F
T-Case Maximum (Nom)	140 °F
Controls and dimming	
Dimmable	Only with specific dimmers
Mechanical and housing	
Bulb Finish	Clear
Bulb Material	Plastic
Bulb Shape	Others
Application conditions	
Ambient temperature range	-20 °C to 45 °C
Product data	
Order product name	145HB/LED/850/D NB DL BB G2 4/1
EAN/UPC - Product	046677563950


Datasheet, 2023, March 25 data subject to change

LED Highbay

Order code	563956
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	4
Material Nr. (12NC)	929002496204

Net Weight (Piece)	2.756 lb
--------------------	----------

Dimensional drawing



145HB/LED/850/D NB DL BB G2 4/1


Product D C 145HB/LED/850/D NB DL BB G2 4/1 9-7/8 in 11-1/4 in

Photometric data






LEDTForce HB 145W Others EX39 850 60D-GUL




LEDTForce HB 145W Others EX39 60D-LDD




LEDTForce HB 145W Others EX39 850-POC

LED Highbay

Lifetime





Life Expectancy Diagram

Lumen Maintenance Diagram

