

A-Shape LED

5A19/LED/950/FR/P/ND 4/1FB

Philips A-shape LED lamps are the LED alternative to standard incandescents. It provides beautiful light and dependable performance you expect from LED at an affordable price.

Product data

General information	
Cap-Base	E26 [Single Contact Medium Screw]
EU RoHS compliant	Yes
Nominal Lifetime (Nom)	11000 h
Switching Cycle	50000
Tier	CorePro

Light technical	
Color Code	950 [CCT of 5000K]
Beam Angle (Nom)	150 °
Luminous Flux (Nom)	450 lm
Color Designation	Daylight
Correlated Color Temperature (Nom)	5000 K
Luminous Efficacy (rated) (Nom)	90.00 lm/W
Color Consistency	<6
Color Rendering Index (Nom)	90
LLMF At End Of Nominal Lifetime (Nom)	70 %

Operating and electrical	
Input Frequency	60 Hz
Power (Nom)	5 W
Lamp Current (Nom)	77 mA
Wattage Equivalent	40 W
Starting Time (Nom)	0.5 s

Warm Up Time to 60% Light (Nom)	0.5 s
Power Factor (Nom)	0.5
Voltage (Nom)	120 V

Temperature	
T-Case Maximum (Nom)	75 °C

Controls and dimming	
Dimmable	No

Mechanical and housing	
Bulb Finish	Frosted
Bulb Material	Plastic
Bulb Shape	A19 [A 19mm]


Approval and application	
Energy Certifications	No

Product data	
Order product name	5A19/LED/950/FR/P/ND 4/1FB
EAN/UPC - Product	046677565107
Order code	929003004704
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	4

A-Shape LED

Material Nr. (12NC)	929003004704
Net Weight (Piece)	0.060 kg


Dimensional drawing




5A19/LED/950/FR/P/ND 4/1FB

Product	D	C
5A19/LED/950/FR/P/ND 4/1FB	60 mm	104 mm


Photometric data



LEDbulb G6 A19 5W E26 950 FR-LDD



LEDbulb G6 5W A19 E26 950 FR-POC




LEDbulb G6 5W A19 E26 950 FR-GUL

A-Shape LED

Lifetime



Lumen Maintenance Diagram



Life Expectancy Diagram

