



A-Shape LED

5A19/LED/927/FR/Glass/E26/DIM 1FB T20

Philips A-shape LED lamps are the LED alternative to standard incandescents. It provides beautiful light and dependable performance you expect from LED at an affordable price.


Product data

General information		Power Factor (Nom)		0.7
Cap-Base	E26 [Single Contact Medium Screw]	Voltage (Nom)		120 V
EU RoHS compliant	Yes			
Nominal Lifetime (Nom)	15000 h	Temperature		
Switching Cycle	20000X	T-Ambient (Max)		45 °C
		T-Ambient (Min)		-20 °C
Light technical		Controls and dimming		
Color Code	927 [CCT of 2700K]	Dimmable		Only with specific dimmers
Beam Angle (Nom)	320 °			
Luminous Flux (Nom)	450 lm	Mechanical and housing		
Color Designation	Warm White (WW)	Bulb Finish		Frosted
Correlated Color Temperature (Nom)	2700 K	Bulb Material		Glass
Luminous Efficacy (rated) (Nom)	90.00 lm/W	Bulb Shape		A19 [A 19mm]
Color Consistency	<4			
Color Rendering Index (Nom)	90	Approval and application		
LLMF At End Of Nominal Lifetime (Nom)	70 %	Energy Certifications		Energy Star
Operating and electrical		Product data		
Input Frequency	60 Hz	Order product name		5A19/LED/927/FR/Glass/E26/DIM 1FB T20
Power (Nom)	5 W	EAN/UPC - Product		046677578534
Lamp Current (Nom)	55 mA	Order code		929003497304
Wattage Equivalent	40 W	Numerator - Quantity Per Pack		1
Starting Time (Nom)	0.5 s	Numerator - Packs per outer box		10
Warm Up Time to 60% Light (Nom)	0.5 s			

A-Shape LED

Material Nr. (12NC)	929003497304
Net Weight (Piece)	0.033 kg


Dimensional drawing




5A19/LED/927/FR/Glass/E26/DIM 1FB T20

Product	D	C
5A19/LED/927/FR/Glass/E26/DIM 1FB T20	60 mm	105 mm


Photometric data



Spectral Power Distribution Colour




General uniform lighting




Light Distribution Diagram

A-Shape LED

Lifetime



Life Expectancy Diagram



Lumen Maintenance Diagram

