



PAR38 LED

14PAR38/COR/927/F25/DIM/120V T20 6/1FB


Philips PAR38 LED Single Optic Lamps with AirFlux Technology improves shopping experience with superior lighting aesthetics and optimal thermal efficiency in a sleek, lightweight design.

Product data

General Information		Starting Time (Nom)	
Base	E26 [Single Contact Medium Screw]	Warm Up Time to 60% Light (Nom)	0.5 s
EU RoHS compliant	Yes	Power Factor (Nom)	0.9
Nominal Lifetime (Nom)	25000 h	Voltage (Nom)	120 V
Switching Cycle	50000X	Temperature	
Technical Type	14-120W	T-Case Maximum (Nom)	85 °C
Light Technical		Controls and Dimming	
Color Code	927	Dimmable	Yes
Beam Angle (Nom)	25 °	Approval and Application	
Initial lumen (Nom)	1300 lm	Energy Efficiency Label (EEL)	Not applicable
Luminous Intensity (Nom)	5382 cd	Suitable For Accent Lighting	Yes
Color Designation	Warm White (WW)	Energy Consumption kWh/1000 h	- kWh
Correlated Color Temperature (Nom)	2700 K	Product Data	
Luminous Efficacy (rated) (Nom)	92.00 lm/W	Order product name	14PAR38/COR/927/F25/DIM/120V T20 6/1FB
Color Consistency	<4	EAN/UPC - Product	046677546922
Color Rendering Index (Nom)	90	Order code	546929
LLMF At End Of Nominal Lifetime (Nom)	70 %	Numerator - Quantity Per Pack	1
Operating and Electrical		Numerator - Packs per outer box	6
Input Frequency	50 to 60 Hz	Material Nr. (12NC)	929002045004
Power (Rated) (Nom)	14 W	Net Weight (Piece)	0.385 kg
Lamp Current (Nom)	136 mA		
Wattage Equivalent	120 W		

PAR38 LED


Dimensional drawing




PAR38 13.3-120W 1200lm 25D 2700K E26 D

Product	D	C
14PAR38/COR/927/F25/DIM/120V T20 6/1FB	125 mm	131 mm


Photometric data



LEDspots 14W PAR38 E26 927 25D




LEDspots 14W PAR38 E26 927




LEDspots 14W PAR38 E26 927 25D

PAR38 LED

Lifetime



LEDspots LED 25K



LEDspots LMP 25K

