



MasterClass LEDtube InstantFit T8

13T8-6U/MAS/24-835/IF20/P 10/1.

Product data


General Information		Voltage (Nom)		120-277, 347 V
Cap-Base	G13 [Medium Bi-Pin Fluorescent]	Temperature		
Nominal Lifetime (Nom)	70000 h	T-Ambient (Max)	45 °C	
Switching Cycle	50000X	T-Ambient (Min)	-20 °C	
B50L70	70000 h	T-Storage (Max)	65 °C	
Light Technical		T-Storage (Min)	-40 °C	
Color Code	835 [CCT of 3500K]	T-Case Maximum (Nom)	50 °C	
Beam Angle (Nom)	180 °	Controls and Dimming		
Initial lumen (Nom)	2000 lm	Dimmable	No	
Luminous Flux (Rated) (Nom)	2000 lm	Mechanical and Housing		
Rated Beam Angle	180 °	Product Length	600 mm	
Correlated Color Temperature (Nom)	3500 K	Approval and Application		
Color Consistency	<6	Energy Saving Product	Yes	
Color Rendering Index (Nom)	80	Approbation Marks	RoHS compliance UL certificate DLC compliance	
LLMF At End Of Nominal Lifetime (Nom)	70 %	Energy Certifications	DLC Standard	
Operating and Electrical		DesignLights Consortium Qualified Product List	DesignLights Consortium Qualified Product List	
Input Frequency	20K to 120K Hz			
Power (Rated) (Nom)	13 W			
Starting Time (Nom)	0.5 s			
Warm Up Time to 60% Light (Nom)	0.5 s			
Power Factor (Nom)	0.9			

MasterClass LEDtube InstantFit T8

Product Data	
Order product name	13T8-6U/MAS/24-835/IF20/P 10/1.
EAN/UPC - Product	046677541866
Order code	541862
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	10

Material Nr. (12NC)	929001987504
Net Weight (Piece)	0.270 kg
Model Number	9290019875


Dimensional drawing




TLED 600mmU 120-277V 13-32W 2000lm 3500K

Product	D1	D2	A1	A2	A3
13T8-6U/MAS/24-835/IF20/P 10/1	25.7 mm	28 mm	152 mm	570 mm	27.8 mm


Photometric data



G13 3000K 2000lm




G13 3500K 2000lm




G13 3500K 2000lm

MasterClass LEDtube InstantFit T8


Lifetime




G13 3000K 2000lm




G13 3000K



G13 3000K



G13 3000K



G13 3000K

MasterClass LEDtube InstantFit T8

