

Project	
Schedule	Date
Notes	
Catalog Number	

Decorative Accent

Product Description

naturalLED® decorative accent design features clear-white acrylic diffusers with polished chrome frames. This dimmable fixture has a 50,000 hour life rating and comes in either 3000K and 4000K consistent LED color making this fixture perfect for energy-saving applications and low-maintenance operations.

Available in two different lengths of 12 inches or 24 inches and offers excellent illuminance for your vanity design. this decorator fixture can be used in residential, commercial, hotels, office buildings and has many other useful applications.



Features & Benefits

- ▶ Energy Star Certified
- ▶ Lightweight for easy installation
- ▶ Excellent thermal design
- ▶ Uniform and consistent color
- ▶ Long Life LED Chips

Specifications


- ▶ Input line voltage: 120V
- ▶ Dimmable
- ▶ Operating temperature: -22°F ~ 122°F
- ▶ Available in 12-inch and 24-inch configurations
- ▶ Finish: Nickel

Applications

- ▶ Bathroom Lighting
- ▶ Over Mirror Lighting
- ▶ Hotel Bathroom Lighting
- ▶ Furniture Top Lighting
- ▶ Make-up Mirror Lighting

Optional Accessories

- ▶ Pull Chain



Optional Pull Chain

RETROFIT / SAVE ENERGY

Replace CFL and Incandescent light with LED



Incandescent and CFL



LED




Ordering Information

Code	Description	CCT	Watt	Lumen	Equiv Wattage	Size	Beam Angle	Dim	Rated Hrs	UL Damp	
7018	LED-FXDAL23/12FR/830/NI	3000K	23	1,610	150	12-inch	Flood	Yes	50,000	•	•
7019	LED-FXDAL23/12FR/840/NI	4000K	23	1,610	150	12-inch	Flood	Yes	50,000	•	•
7020	LED-FXDAL23/24FR/830/NI	3000K	23	2,000	200	24-inch	Flood	Yes	50,000	•	•
7021	LED-FXDAL23/24FR/840/NI	4000K	23	2,000	200	24-inch	Flood	Yes	50,000	•	•

Photometric Data

Base

FXHBL75




Zonal Lumen Summary

Zone	Lumens	% Luminaire
0-30	107.96	6.70
0-40	212.65	13.20
0-60	491.87	30.50
60-80	332.94	20.60
70-80	172.51	10.70
90-120	399.27	24.70
90-180	610.52	37.80
0-180	1613.77	100.00

Total Luminaire Efficiency = 100.00%

FXHBL100



Zonal Lumen Summary

Zone	Lumens	% Luminaire
0-30	65.00	2.50
0-40	160.11	6.30
0-60	520.01	20.40
60-80	560.19	22.00
70-80	299.36	11.70
90-120	794.96	31.20
90-180	1153.34	45.20
0-180	2551.81	100.00


Total Luminaire Efficiency = 100.00%



Product Dimension


12-inch

Weight: 2.75-lbs




24-inch

Weight: 4.41-lbs



Package


12-inch



Package
(Master)

2

24-inch



Package
(Master)

2