

Project	
Schedule	Date
Notes	
Catalog Number	

Flush Mount Compact

Product Description

Compact Flush Mount FMC is an excellent replacement solution for traditional flush mount fixture and is perfect for smaller or limited space areas with the contemporary design. naturalLED® brings you our FMC series with easy installation that can be mounted to a 4-inch junction box for new construction and/or replacing a 75 watt to 120 watt incandescent fixture.

Equipped with the latest DOB (Driver on Board) technology which increases the performance reliability over its lifetime. Perfect for both residential and commercial applications. Ideal for bathrooms, closets, smaller rooms, storage areas, hallways and stairways.



Features & Benefits

- ▶ Uniform light distribution and consistent color
- ▶ Easy Installation
- ▶ Non-yellowing acrylic
- ▶ Retrofit for CFL and incandescent Flush Mount

Specifications

- ▶ Input line voltage: 120
- ▶ Powerfactor >0.9
- ▶ Dimmable
- ▶ Operating temperature: -4°F ~ 104°F
- ▶ Finish: Acrylic

Applications

- ▶ Bathroom Lighting
- ▶ Decoration Lighting
- ▶ Hallway Lighting
- ▶ Bedroom Lighting




Ordering Information

Code	Description	CCT	Watt	Lumen	Equiv Wattage	Size	Beam Angle	Dim	Rated Hrs	UL Wet	
7454	LED7FMC-70L830	3000K	10	700	75	7"	Flood	Yes	50,000	•	•
7455	LED7FMC-70L840	4000K	10	700	75	7"	Flood	Yes	50,000	•	•
7456	LED7FMC-70L850	5000K	10	700	75	7"	Flood	Yes	50,000	•	•
7055	LED7FMC-110L830	3000K	16	1,100	120	7"	Flood	Yes	50,000	•	•
7056	LED7FMC-110L840	4000K	16	1,100	120	7"	Flood	Yes	50,000	•	•
7057	LED7FMC-110L850	5000K	16	1,100	120	7"	Flood	Yes	50,000	•	•

Photometric Data

7FMC- 10Watt




Zonal Lumen Summary

Zone	Lumens	% Luminaire
0-30	211.54	29.90
0-40	337.48	47.80
0-60	560.28	79.30
60-80	117.55	16.60
90-120	7.59	1.10
90-180	9.47	1.30
0-180	706.37	100.00

Total Luminaire Efficiency = 100.00%

7FMC-16Watt



Zonal Lumen Summary

Zone	Lumens	% Luminaire
0-30	317.24	26.50
0-40	520.17	43.50
0-60	923.61	77.30
60-80	234.09	19.60
90-120	3.87	0.30
90-180	5.42	0.50
0-180	1195.27	100.00


Total Luminaire Efficiency = 100.00%



Product Dimensions


7-inch (10W)

Weight: 1.10-lbs




7-inch (16W)

Weight: 0.7-lbs



Package



Package
(Master)

10