## SATCO NUVO

Project Name

Location

Prepared By



## **SATCO S11258**

15PAR38/LED/RGB/TW/SF

Notes

[www] 03-08-2021 01:43:2

General	
Status	Active
Watts	15
Incandescent Equivalent	90
Volts	120V
Shape	PAR38
Base	Medium
ANSI Base	E26
Finish	White
CCT (Kelvin)	2700K-5000K
Temperature	Warm to Cool White/Color Changeable
CRI	80
Lumens	1200
Beam Spread	40
Dimmable	Dimmable Only with Starfish App
Hours Rated	25000
Lamp Type	PAR
Technology	LED
Smart Product Info	
	V
IOT Enabled	Yes
Voice Assistants Supported	Siri; Alexa; Hey Google; SmartThings
Electrical	
Operating Frequency	60 Hz
	60 Hz
Operating Frequency	60 Hz Smart
Operating Frequency  Specifications	
Operating Frequency Specifications Dimming Type	Smart
Operating Frequency  Specifications  Dimming Type  Power Factor	Smart 0.9 -20C (-4F) to a maximum of +45C
Operating Frequency  Specifications  Dimming Type  Power Factor  Operating Temperature	Smart 0.9 -20C (-4F) to a maximum of +45C
Operating Frequency  Specifications  Dimming Type  Power Factor  Operating Temperature  Physical	Smart 0.9 -20C (-4F) to a maximum of +45C (+113F)
Operating Frequency  Specifications  Dimming Type  Power Factor  Operating Temperature  Physical  MOL	Smart  0.9  -20C (-4F) to a maximum of +45C (+113F)  5.00
Operating Frequency  Specifications  Dimming Type  Power Factor  Operating Temperature  Physical  MOL  MOD	Smart 0.9 -20C (-4F) to a maximum of +45C (+113F)  5.00 4.72
Operating Frequency  Specifications  Dimming Type  Power Factor  Operating Temperature  Physical  MOL  MOD  Lens Finish	Smart  0.9  -20C (-4F) to a maximum of +45C (+113F)  5.00  4.72 Clear
Operating Frequency  Specifications  Dimming Type  Power Factor  Operating Temperature  Physical  MOL  MOD  Lens Finish  Lens Material	Smart  0.9  -20C (-4F) to a maximum of +45C (+113F)  5.00  4.72  Clear  Plastic
Operating Frequency  Specifications  Dimming Type  Power Factor  Operating Temperature  Physical  MOL  MOD  Lens Finish  Lens Material  Weight (lb.)	Smart  0.9  -20C (-4F) to a maximum of +45C (+113F)  5.00  4.72  Clear  Plastic
Operating Frequency  Specifications  Dimming Type  Power Factor  Operating Temperature  Physical  MOL  MOD  Lens Finish  Lens Material  Weight (lb.)  Additional Information	Smart  0.9  -20C (-4F) to a maximum of +45C (+113F)  5.00  4.72  Clear  Plastic  0.33
Operating Frequency  Specifications  Dimming Type  Power Factor  Operating Temperature  Physical  MOL  MOD  Lens Finish  Lens Material  Weight (lb.)  Additional Information  Rated For Enclosed Fixture	Smart  0.9  -20C (-4F) to a maximum of +45C (+113F)  5.00  4.72  Clear  Plastic  0.33
Operating Frequency  Specifications  Dimming Type  Power Factor  Operating Temperature  Physical  MOL  MOD  Lens Finish  Lens Material  Weight (lb.)  Additional Information  Rated For Enclosed Fixture  Warranty  Compliance	Smart  0.9  -20C (-4F) to a maximum of +45C (+113F)  5.00  4.72  Clear  Plastic  0.33
Operating Frequency  Specifications  Dimming Type  Power Factor  Operating Temperature  Physical  MOL  MOD  Lens Finish  Lens Material  Weight (lb.)  Additional Information  Rated For Enclosed Fixture  Warranty	Smart  0.9  -20C (-4F) to a maximum of +45C (+113F)  5.00  4.72  Clear  Plastic  0.33  Yes  3 Year Limited - 3 hr per day
Operating Frequency  Specifications  Dimming Type  Power Factor  Operating Temperature  Physical  MOL  MOD  Lens Finish  Lens Material  Weight (lb.)  Additional Information  Rated For Enclosed Fixture  Warranty  Compliance  Safety Listing	Smart  0.9  -20C (-4F) to a maximum of +45C (+113F)  5.00  4.72  Clear  Plastic  0.33  Yes  3 Year Limited - 3 hr per day
Operating Frequency  Specifications  Dimming Type  Power Factor  Operating Temperature  Physical  MOL  MOD  Lens Finish  Lens Material  Weight (lb.)  Additional Information  Rated For Enclosed Fixture  Warranty  Compliance  Safety Listing  Location Rating	Smart  0.9  -20C (-4F) to a maximum of +45C (+113F)  5.00  4.72  Clear  Plastic  0.33  Yes  3 Year Limited - 3 hr per day  cULus  Wet
Operating Frequency  Specifications  Dimming Type  Power Factor  Operating Temperature  Physical  MOL  MOD  Lens Finish  Lens Material  Weight (lb.)  Additional Information  Rated For Enclosed Fixture  Warranty  Compliance  Safety Listing  Location Rating  Energy Star	Smart  0.9  -20C (-4F) to a maximum of +45C (+113F)  5.00  4.72  Clear  Plastic  0.33  Yes  3 Year Limited - 3 hr per day  CULus  Wet  Yes









California Compliant Substitute	S11277
Nevada Status	Lawful for sale in Nevada
RoHS Compliant	Yes
FCC Compliant	Yes
SDS Sheet	LED_Lamp





