## SATCO NUVO

Project Name

Prepared By



## Notes

General	
Status	Active
Watts	6W
Incandescent Equivalent	45W
Volts	120V
Shape	R20
Base	Medium
ANSI Base	E26
Finish	White
CCT (Kelvin)	2700K-5000K
Temperature	Warm to Cool White/Color Changeable
CRI	90
Lumens	480L
Beam Spread	110
Dimmable	Yes-Dimmable
Hours Rated	25000
Lamp Type	Reflector
Technology	LED
Smart Product Info	
IOT Enabled	Yes
Voice Assistants Supported	Siri Shortcuts; Alexa; Hey Google; SmartThings
Specifications	
Dimming Note	Only with Starfish App; Dimming range from 100 to less than or equal to 20 percent depending on dimmer control
Dimming Note  Operating Temperature	range from 100 to less than or equal to 20 percent depending on
	range from 100 to less than or equal to 20 percent depending on dimmer control -20C (-4F) to a maximum of +45C
Operating Temperature  Physical	range from 100 to less than or equal to 20 percent depending on dimmer control -20C (-4F) to a maximum of +45C (+113F)
Operating Temperature  Physical  MOL	range from 100 to less than or equal to 20 percent depending on dimmer control  -20C (-4F) to a maximum of +45C (+113F)
Operating Temperature  Physical  MOL  MOD	range from 100 to less than or equal to 20 percent depending on dimmer control  -20C (-4F) to a maximum of +45C (+113F)  3.69  2.48
Operating Temperature  Physical  MOL  MOD  Weight (lb.)	range from 100 to less than or equal to 20 percent depending on dimmer control  -20C (-4F) to a maximum of +45C (+113F)
Operating Temperature  Physical  MOL  MOD  Weight (lb.)  Additional Information	range from 100 to less than or equal to 20 percent depending on dimmer control  -20C (-4F) to a maximum of +45C (+113F)  3.69  2.48  0.13
Operating Temperature  Physical  MOL  MOD  Weight (lb.)  Additional Information  Rated For Enclosed Fixture	range from 100 to less than or equal to 20 percent depending on dimmer control  -20C (-4F) to a maximum of +45C (+113F)  3.69  2.48  0.13
Operating Temperature  Physical  MOL  MOD  Weight (lb.)  Additional Information	range from 100 to less than or equal to 20 percent depending on dimmer control  -20C (-4F) to a maximum of +45C (+113F)  3.69  2.48  0.13
Operating Temperature  Physical  MOL  MOD  Weight (lb.)  Additional Information  Rated For Enclosed Fixture  Warranty  Compliance	range from 100 to less than or equal to 20 percent depending on dimmer control  -20C (-4F) to a maximum of +45C (+113F)  3.69  2.48  0.13  Yes  3 Year Limited - 3 hr per day
Operating Temperature  Physical  MOL  MOD  Weight (lb.)  Additional Information  Rated For Enclosed Fixture  Warranty	range from 100 to less than or equal to 20 percent depending on dimmer control  -20C (-4F) to a maximum of +45C (+113F)  3.69  2.48  0.13
Operating Temperature  Physical  MOL  MOD  Weight (lb.)  Additional Information  Rated For Enclosed Fixture  Warranty  Compliance	range from 100 to less than or equal to 20 percent depending on dimmer control  -20C (-4F) to a maximum of +45C (+113F)  3.69  2.48  0.13  Yes  3 Year Limited - 3 hr per day
Operating Temperature  Physical  MOL  MOD  Weight (lb.)  Additional Information  Rated For Enclosed Fixture  Warranty  Compliance  Safety Listing	range from 100 to less than or equal to 20 percent depending on dimmer control  -20C (-4F) to a maximum of +45C (+113F)  3.69  2.48  0.13  Yes  3 Year Limited - 3 hr per day  cULus - Listed
Operating Temperature  Physical  MOL  MOD  Weight (lb.)  Additional Information  Rated For Enclosed Fixture  Warranty  Compliance  Safety Listing  Location Rating	range from 100 to less than or equal to 20 percent depending on dimmer control  -20C (-4F) to a maximum of +45C (+113F)  3.69 2.48 0.13  Yes 3 Year Limited - 3 hr per day  CULus - Listed  Damp
Operating Temperature  Physical  MOL  MOD  Weight (lb.)  Additional Information  Rated For Enclosed Fixture  Warranty  Compliance  Safety Listing  Location Rating  Energy Star	range from 100 to less than or equal to 20 percent depending on dimmer control  -20C (-4F) to a maximum of +45C (+113F)  3.69  2.48  0.13  Yes  3 Year Limited - 3 hr per day  CULus - Listed  Damp  Pending
Operating Temperature  Physical  MOL  MOD  Weight (lb.)  Additional Information  Rated For Enclosed Fixture  Warranty  Compliance  Safety Listing  Location Rating  Energy Star  CA T20 / T24 Rationale	range from 100 to less than or equal to 20 percent depending on dimmer control  -20C (-4F) to a maximum of +45C (+113F)  3.69  2.48  0.13  Yes  3 Year Limited - 3 hr per day  CULus - Listed  Damp  Pending  T20 Compliant
Operating Temperature  Physical  MOL  MOD  Weight (lb.)  Additional Information  Rated For Enclosed Fixture  Warranty  Compliance  Safety Listing  Location Rating  Energy Star  CA T20 / T24 Rationale  California Status	range from 100 to less than or equal to 20 percent depending on dimmer control  -20C (-4F) to a maximum of +45C (+113F)  3.69 2.48 0.13  Yes 3 Year Limited - 3 hr per day  CULus - Listed  Damp  Pending  T20 Compliant  Lawful for sale in California
Operating Temperature  Physical  MOL  MOD  Weight (lb.)  Additional Information  Rated For Enclosed Fixture  Warranty  Compliance  Safety Listing  Location Rating  Energy Star  CA T20 / T24 Rationale  California Status  Title 20 / 24 Status	range from 100 to less than or equal to 20 percent depending on dimmer control  -20C (-4F) to a maximum of +45C (+113F)  3.69  2.48  0.13  Yes  3 Year Limited - 3 hr per day  CULus - Listed  Damp  Pending  T20 Compliant  Lawful for sale in California  Lawful for sale









All riights reserved Http://www.satou.com/

----