SES ESTATE



Sunlite 85467 4-Foot LED Strip Light Fixture, Power Tunable 25W/30W/40W, Multi-Volt, 3250/3900/5200 Lumens, Color Tunable 30K/35K/40K/50K, Dimmable, ETL Listed, For Residential & Commercial Use

## **DESCRIPTION:**

Upgrade your lighting to the eco-friendly Sunlite 4-Foot LED Strip Light Fixture. This fixture allows you to choose the color temperature and wattage at any time. Select 3000K, 3500K, 4000K or even 5000K depending on your preference using a switch located on the side of the fixture. Take control of the light emitted with its tunable wattage of 25W/30W/40W. The lighting output can be changed when connected to an LEDcompatible dimmer switch (0-10v), with a beam angle of 145 degrees, allowing it to adapt to any lighting to suit the mood. This light source produces a bright tunable color with a robust high lumen output that varies depending on the selected wattage, it can be 3250/3900/5200 lumens. This dimmable fixture long life provides 50,000 hours of maintenance-free service LED technology. Estimated annual energy costs of \$3.01 or \$3.61 or \$4.82 (Based on 3 Hrs/Day at \$0.11/kWh). Multi-volt of 120-277 and 80 CRI. With step-by-step instructions, installing this fixture is quick and simple. Install it directly on a surface or hang with a suspension kit (not included). Surface mounting hardware and installation instructions included. ETL Listed for wet location installation. Ideal for Garage, Stairwells, Utility Room, Attics, Workshop, and more. Fixture Dimension: 46.3" L x 2.4" W x 3.2" H.

## **FEATURES:**

- COLOR TEMPERATURE & POWER TUNABLE This fixture allows you to choose the color temperature and wattage at any time. Select 3000K, 3500K, 4000K or even 5000K depending on your preference using a switch located on the side of the fixture. Take control of the light emitted with its tunable wattage of 25W/30W/40W.
- DIMMABLE The lighting output can be changed when connected to an LED-compatible dimmer switch (0-10v), with a beam angle of 145 degrees, allowing it to adapt to any lighting to suit the mood.
- LONG LIFE LED This light source produces a bright tunable color with a robust high lumen output that varies depending on the selected wattage, it can be
  - hours of maintenance-free service LED mated annual energy costs of \$3.01 or Based on 3 Hrs/Day at \$0.11/kWh). Multiand 80 CRI.
  - LECTION With step-by-step instructions, ture is quick and simple. Install it directly on q with a suspension kit (not included).

Surface mounting hardware and installation instructions





## SPECIFICATIONS:

#### **General Characteristics**

Average Rated Hours50000FinishWhiteAverage Life Span Years46

DimmableYesDimming Type0-10V Low Voltage

Dimming Percentage 10%-100%

Material Iron & Acrylic

Lens MaterialPMMALens FinishWhite

### **Electrical Characteristics**

 Watts
 25/30/40

 Volts
 120-277

 LED Chip Manufacturer
 SMD2835

 Power Factor
 0.9

**Temperature** -4°F - 104°F

## **Light Characteristics**

Lumens Brightness3250/3900/5200Emitted ColorCCT TunableColor Temperature Kelvin30K/35K/40K/50KBeam Angle110°

Beam Angle 110 Flicker No

### Fixture Characteristics

ShapeLinearNumber of Lights1MountingSurfaceFixture TechnologyLEDUse LocationIndoor

## Additional Features

Safety Rating Mark ETL - Damp Location
Safety Rated For Canada Yes

Safety Rated For USA Yes
DLC Yes

DLC NumberS-PUGA5DDLC ClassificationPremium

#### **Product Dimensions**

 Size
 4'

 Item Dimension (in)
 (W) 2.4 (H) 3.2 (D) 46.3

 Package Dimension (in)
 (W) 46.75 (H) 3.62 (D) 2.94

 Package Weight (lb)
 4.52

#### **Product Data**

Case Unit Rate Item UPC Warranty Years 6 653703854670 5









# **ACCESSORIES:**



Catalog # 85364-SU LFX/EC