LED Vintage Lamps



many applications.

Key Features & Benefits

- Long life: up to 15,000 hours (L_{70})
- UV and IR free
- Mercury and lead free
- RoHS compliant
- Available in 2200K
- Suitable for damp locations
- Amber glass finish
- Reduces energy consumption up to 90%
- Lasts up to 15 times longer than incandescent lamps
- No warm-up time, instant-on with full light output and stable color

Not intended for use with dimmer.









Rated up to 15,000 hours at 70% lumen maintenance, SYLVANIA LED Vintage lamps offer years of service and reduce energy and maintenance costs. SYLVANIA LED lamps are environmentally preferred products. They are RoHS compliant and contain no mercury, lead or other hazardous materials. They emit no UV or IR radiation. A CRI of 80 ensures good color definition. Available in 2200K CCT, these lamps can be used in

Product Offering

Ordering	Color	Typical
Abbreviation	Temperature	Lumens
LED4A15	2200K	380
LED4A19	2200K	380
LED6A19	2200K	650
LED4B10	2200K	380
LED4G25	2200K	380
LED4ST	2200K	380
LED6ST	2200K	650

Application Information

Applications

- Downlights
- Pendant fixtures
- Table lamps
- Wall sconces

Application Notes

- 1. Operating temperature range between -20°C and +45°C (-4°F and +113°F)
- 2. Not for use with emergency light fixtures or exit lights
- 3. Use in open fixture
- 4. Suitable for damp locations

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation. For FCC Part 15 user information, please see www.sylvania.com/fcc15b.



Specification Data

Туре

Ordering Information

					Input	Average		Typical			
Item	Ordering	Wattage	Base		Voltage	Rated		Lumens		Bulb	ENERGY
Number	Abbreviation	(W)	Type	Replaces	(V)	Life (hrs.)	CCT	(lm)	CRI	Finish	STAR®
74328	LED4A15822VIN	4	Medium	40W Incandescent	120	15000	2200K	380	80	Amber	No
74336	LED4A15C822VIN	4	Candelabra	40W Incandescent	120	15000	2200K	380	80	Amber	No
77321	LED4A19822VIN	4	Medium	40W Incandescent	120	15000	2200K	380	80	Amber	No
77323	LED6A19822VIN	6	Medium	60W Incandescent	120	15000	2200K	650	80	Amber	No
79537	LED4B10BLUNT822VIN	4	Medium	40W Incandescent	120	15000	2200K	380	80	Amber	No
79539	LED4B10CBLUNT822VIN	4	Candelabra	40W Incandescent	120	15000	2200K	380	80	Amber	No
79541	LED4B10BENT822VIN	4	Medium	40W Incandescent	120	15000	2200K	380	80	Amber	No
79543	LED4B10CBENT822VIN	4	Candelabra	40W Incandescent	120	15000	2200K	380	80	Amber	No
79602	LED4G25822VIN	4	Medium	40W Incandescent	120	15000	2200K	380	80	Amber	No
74330	LED4ST19822VIN	4	Medium	40W Incandescent	120	15000	2200K	380	80	Amber	No
74332	LED6ST19822VIN	6	Medium	60W Incandescent	120	15000	2200K	650	80	Amber	No

Ordering Guide

LED	6	A19	1	8	22	VIN
LED	Wattage:	Lamp Type:		CRI	CCT	Vintage
Lamps	6	A19		8 = 80 +	22 = 2200K	

Lamp Dimensions

LEDA415 LED4A19 LED6A19 LED4B10 LED4G25 LED4ST LED6ST	(A) MOL (inches) 3.38 4.13 4.13 4.33 4.44 5.43 5.43	(B) Diameter (inches) 1.88 2.36 2.36 1.37 3.14 2.28 2.28	B A	B	B A	B A	B
				B A A	B A A	B A	

Energy Savings

Basic Product Description	LED Life (hrs.)	LED Lumens	Similar Incandescent	Incandescent Life (hrs.)	Watts Saved	Energy Savings*	LED Life vs. Incandescent
LED4A15	15,000	380	40W Incandescent	1000	36	\$59	15x
LED4A19	15,000	380	40W Incandescent	1500	36	\$59	10x
LED6A19	15,000	650	60W Incandescent	1000	54	\$89	15x
LED4B10	15,000	380	40W Incandescent	1500	36	\$59	10x
LED4G25	15,000	380	40W Incandescent	1500	36	\$59	10x
LED4ST	15,000	380	40W Incandescent	1500	36	\$59	10x
LED6ST	15,000	650	60W Incandescent	1000	54	\$89	15x

^{*}Energy savings over life of lamp calculated at \$0.11/kWh

LEDVANCE LLC 200 Ballardvale Street Wilmington, MA 01887 USA Phone 1-800-LIGHTBULB (1-800-544-4828) www.sylvania.com

SYLVANIA and LEDVANCE are registered trademarks.

All other trademarks are those of their respective owners.

Product Licensee of Trademark SYLVANIA in General Lighting.

Specifications subject to change without notice.





