



LED Classic Filament A-Lamps

DIMMABLE • OMNIDIRECTIONAL • 15,000 HOURS

TCP's filament style LED A-Lamps combine LED technology with the elegance of an exposed filament aesthetic—providing all the beauty and style of traditional lamps with the savings of LED. Exclusive LED technology provides unmatched longevity and perfect 5-100% dimming.

LIMITLESS OPTIONS FOR THE FOLLOWING APPLICATIONS

- Table Lamps
- Sconces
- Chandeliers
- Floor Lamps
- Ceiling Fixtures

FEATURES	BENEFITS
Energy efficient	Up to 85% less energy than halogen lamps
Very low heat generation	Minimizes replacement and maintenance costs
Long life	15,000 hours rated life
UL approved for damp and enclosed locations	Can be used outdoors when protected from elements. Withstands humidity indoors/outdoors
Appearance	Unique filament LED configuration provides a uniform color output
ANSI construction compliant	Fits most general applications

★ Smooth, Uniform Dimming from 5 - 100% ★

SPECIFICATIONS

Color Temperatures 2200K, 2700K, 3000K, 4000K, 5000K
Input Line Voltage 120 VAC
Input Line Frequency 50/60HZ
Lamp Life (Rated) 15,000 hours
Minimum Starting Temp -30°C
Maximum Operating Temp 40°C
CRI >80
Base E26



3 YEAR WARRANTY
*Based on 12 hours use per day

RoHS COMPLIANT



25W/40W
A15

40W/60W
A19

75W
A19

100W
A21

40W/60W
ST19

40W/60W
BT15

we know light.™

TCP®

325 Campus Dr. | Aurora, Ohio 44202 | P: 800-324-1496 | tcp.com



LED CLASSIC FILAMENT A-LAMPS

DIMMABLE • OMNIDIRECTIONAL • 15,000 HOURS



ITEM #	DESCRIPTION	ENERGY STAR V2.1	LED WATTS	INCAND. WATTS	LUMENS	CRI	COLOR TEMP	GLASS TYPE	MOL (inches)	DIA (inches)
--------	-------------	------------------------	--------------	------------------	--------	-----	---------------	---------------	-----------------	-----------------

A15

25/40 Watt Replacements • Dimmable • E26 Base • 15,000 Hour

FA15D2527EC	A15 25W 2700K CLEAR		3.5	25	250	>80	2700K	Clear	3.4	1.9
FA15D2527EW	A15 25W 2700K FROSTED		3.5	25	250	>80	2700K	Frosted	3.4	1.9
FA15D4027EC	A15 40W 2700K CLEAR		5.0	40	450	>80	2700K	Clear	3.4	1.9
FA15D4027EW	A15 40W 2700K FROSTED		5.0	40	450	>80	2700K	Frosted	3.4	1.9
FA15D2527H	A15 HORIZONTAL 2700K CLEAR		3.0	25	200	>80	2700K	Clear	3.4	1.9
FA15D2527V	A15 VERTICAL 2700K CLEAR		3.0	25	200	>80	2700K	Clear	3.4	1.9

A19

40 Watt Replacements • Dimmable • E26 Base • 15,000 Hour

FA19D4022KC	A19 40W 2200K CLEAR		4.5	40	425	>80	2200K	Clear	4.2	2.4
FA19D4022KW	A19 40W 2200K FROSTED		4.5	40	425	>80	2200K	Frosted	4.2	2.4
FA19D4027KC	A19 40W 2700K CLEAR		4.5	40	450	>80	2700K	Clear	4.2	2.4
FA19D4027EW	A19 40W 2700K FROSTED	★	4.5	40	450	>80	2700K	Frosted	4.2	2.4
FA19D4040EC	A19 40W 4000K CLEAR		4.5	40	450	>80	4000K	Clear	4.2	2.4
FA19D4040EW	A19 40W 4000K FROSTED		4.5	40	450	>80	4000K	Frosted	4.2	2.4
FA19D4050EC	A19 40W 5000K CLEAR		4.5	40	450	>80	5000K	Clear	4.2	2.4
FA19D4050EW	A19 40W 5000K FROSTED	★	4.5	40	450	>80	5000K	Frosted	4.2	2.4
FA19D40BC	A19 DIM 40W BLUE CLEAR		4.5	40	Blue	>80	Blue	Clear	4.2	2.4
FA19D40YC	A19 DIM 40W YELLOW CLEAR		4.5	40	Yellow	>80	Yellow	Clear	4.2	2.4

60 Watt Replacements • Dimmable • E26 Base • 15,000 Hour

FA19D6022KC	A19 60W 2200K CLEAR		8	60	775	>80	2200K	Clear	4.2	2.4
FA19D6022KW	A19 60W 2200K FROSTED		8	60	775	>80	2200K	Frosted	4.2	2.4
FA19D6027EC	A19 60W 2700K CLEAR	★	8	60	800	>80	2700K	Clear	4.2	2.4
FA19D6027EW	A19 60W 2700K FROSTED	★	8	60	800	>80	2700K	Frosted	4.2	2.4
FA19D6027SB	A19 60W 2700K SILVER BOWL		8	60	650	>80	2700K	Clear	4.2	2.4
FA19D6030EC	A19 60W 3000K CLEAR		8	60	800	>80	3000K	Clear	4.2	2.4
FA19D6030EW	A19 60W 3000K FROSTED	★	8	60	800	>80	3000K	Frosted	4.2	2.4
FA19D6040EC	A19 60W 4000K CLEAR		8	60	800	>80	4000K	Clear	4.2	2.4
FA19D6040EW	A19 60W 4000K FROSTED		8	60	800	>80	4000K	Frosted	4.2	2.4
FA19D6050EC	A19 60W 5000K CLEAR		8	60	800	>80	5000K	Clear	4.2	2.4
FA19D6050EW	A19 60W 5000K FROSTED	★	8	60	800	>80	5000K	Frosted	4.2	2.4
FA19D60BC	A19 DIM 60W BLUE CLEAR		8	60	Blue	>80	Blue	Clear	4.2	2.4
FA19D60YC	A19 DIM 60W YELLOW CLEAR		8	60	Yellow	>80	Yellow	Clear	4.2	2.4

continued



RoHS
COMPLIANT

3 YEAR
WARRANTY

*Based on 12 hours use per day

For the most up-to-date specs, please visit www.tcpi.com



LED CLASSIC FILAMENT A-LAMPS

DIMMABLE • OMNIDIRECTIONAL • 15,000 HOURS



A19 *continued*

75 Watt Replacements • Dimmable • E26 Base • 15,000 Hour

ITEM #	DESCRIPTION	ENERGY STAR V2.1	LED WATTS	INCAND. WATTS	LUMENS	CRI	COLOR TEMP	GLASS TYPE	MOL (inches)	DIA (inches)
FA19D7527EC	A19 75W 2700K CLEAR		10.5	75	1100	>80	2700K	Clear	4.2	2.4
FA19D7527KW	A19 75W 2700K FROSTED		10.5	75	1100	>80	2700K	Frosted	4.2	2.4
FA19D7530EC	A19 75W 3000K CLEAR		10.5	75	1100	>80	3000K	Clear	4.2	2.4
FA19D7550EC	A19 75W 5000K CLEAR		10.5	75	1100	>80	5000K	Clear	4.2	2.4
FA19D7550KW	A19 75W 5000K FROSTED		10.5	75	1100	>80	5000K	Frosted	4.2	2.4



A21 **"COMING SOON"**

100 Watt Replacements • Dimmable • E26 Base • 15,000 Hour

FA21D10027EC	A21 100W 2700K CLEAR		13.0	100	1500	>80	2700K	Clear	4.6	2.5
FA21D10027EW	A21 100W 2700K FROSTED		14.0	100	1500	>80	2700K	Frosted	4.6	2.5
FA21D10030EC	A21 100W 3000K CLEAR		13.0	100	1500	>80	3000K	Clear	4.6	2.5
FA21D10040EC	A21 100W 4000K CLEAR		13.0	100	1500	>80	4000K	Clear	4.6	2.5
FA21D10050EC	A21 100W 5000K CLEAR		13.0	100	1500	>80	5000K	Clear	4.6	2.5
FA21D10050EW	A21 100W 5000K FROSTED		14.0	100	1500	>80	5000K	Frosted	4.6	2.5



ST19

40/60 Watt Replacements • Dimmable • E26 Base • 15,000 Hour

FST19D4022KC	ST19 40W 2200K CLEAR		5.0	40	425	>80	2200K	Clear	5.4	2.5
FST19D4022KG	ST19 40W 2200K AMBER		5.0	40	425	>80	2200K	Amber	5.4	2.5
FST19D6027EC	ST19 60W 2700K CLEAR		8.0	60	810	>80	2700K	Clear	5.4	2.5
FST19D6030EC	ST19 60W 3000K CLEAR		8.0	60	810	>80	3000K	Clear	5.4	2.5
FST19D6040EC	ST19 60W 4000K CLEAR		8.0	60	810	>80	4000K	Clear	5.4	2.5



BT15 **"COMING SOON"**

40/60 Watt Replacements • Dimmable • E26 Base • 15,000 Hour

FBT15D4027EC	BT15 40W 2700K CLEAR		5.0	40	450	>80	2700K	Clear	4.1	2.0
FBT15D6027EC	BT15 60W 2700K CLEAR		8.0	60	810	>80	2700K	Clear	4.1	2.0



RoHS
COMPLIANT

3 YEAR
WARRANTY

*Based on 12 hours use per day

For the most up-to-date specs, please visit www.tcpi.com

TECHNOLOGY CAST IN A BEAUTIFUL LIGHT

For over 20 years, TCP has been designing, developing and delivering energy-efficient lighting into the market. Thanks to our cutting-edge technology and manufacturing expertise, we have shipped billions of high quality lighting products. With TCP, you can count on a lighting product that is designed to meet the needs of the market — that transforms your surroundings and envelopes you in warmth — lighting that generates beauty with every flip of the switch.



For more information on the quality and care TCP can deliver, call us at 800.324.1496 or visit tcpi.com

325 Campus Dr. | Aurora, Ohio 44202 | P: 800.324.1496 | F: 877.487.0516